



PRGY8.E323353
Motors Certified for Canada - Component

[Page Bottom](#)

Motors Certified for Canada - Component

[See General Information for Motors Certified for Canada - Component](#)

SHANGHAI TOP MOTOR CO LTD

E323353

303 KANGLIU RD
 KANGQIAO INDUSTRIAL AREA
 NANHUI
 201315 SHANGHAI, CHINA

Motors (Class B), Model(s) FM-91409

Motors (Class F), "ODP Series", Model(s) TD143T1.5U2B, TD143T1U2B, TD143T1U4B, TD145T1.5U4B, TD145T1U6B, TD145T2U2B, TD145T2U4B, TD145T3U2B, TD182T1.5U6B, TD182T3U4B, TD184T2U6B, TD184T5U2B, TD184T5U4B, TD184T7.5U2B, TD213T3U6B, TD213T7.5U4B, TD215T10U2B, TD215T10U4B, TD215T15U2B, TD215T5U6B, TD48 1/2U2B, TD48 1/2U4B, TD48 1/3U2B, TD48 1/3U4B, TD48 1/4U2B, TD48 1/4U4B, TD56H1.5U2B, TD56H1.5U4B, TD56H1U2B, TD56H1U4B, TD56H1U6B, TD56H2U2B, TD56H2U4B, TD56H3U2B, TD56H3U4B, TD56H3U6B, TXD143T1.5U2B, TXD143T1U2B, TXD143T1U4B, TXD145T1.5U4B, TXD145T1U6B, TXD145T2U2B, TXD145T2U4B, TXD145T3U2B, TXD182T1.5U6B, TXD182T3U4B, TXD184T2U6B, TXD184T5U2B, TXD184T5U4B, TXD184T7.5U2B, TXD213T3U6B, TXD213T7.5U4B, TXD215T10U2B, TXD215T10U4B, TXD215T15U2B, TXD215T5U6B, TXD48 1/2U2B, TXD48 1/2U4B, TXD48 1/3U2B, TXD48 1/3U4B, TXD48 1/4U2B, TXD48 1/4U4B, TXD56H1.5U2B, TXD56H1.5U4B, TXD56H1U2B, TXD56H1U4B, TXD56H1U6B, TXD56H2U2B, TXD56H2U4B, TXD56H3U2B, TXD56H3U4B

Motors (Class F), "TEFC Series", Model(s) TFA143T1.5U2B, TFA143T1U4B, TFA143T2U2B, TFA145T1.5U4B, TFA145T1U6B, TFA145T2U4B, TFA182T1.5U6B, TFA182T3U2B, TFA182T3U4B, TFA182T5U2B, TFA182T5U4B, TFA182T7.5U2B, TFA182T7.5U4B, TFA213T7.5U2B, TFA213T7.5U4B, TFA215T10U2B, TFA215T10U4B, TFA215T5U6B, TFC143T1.5U2B, TFC143T1U4B, TFC143T2U2B, TFC145T1.5U4B, TFC145T1U6B, TFC145T2U4B, TFC182T1.5U6B, TFC182T3U2B, TFC182T3U4B, TFC184T2U6B, TFC184T5U2B, TFC184T5U4B, TFC213T3U6B, TFC213T7.5U2B, TFC213T7.5U4B, TFC215T10U2B, TFC215T10U4B, TFC215T5U6B, TFC254T1.5U2B, TFC254T1.5U4B, TFC254T1.5U6B, TFC254T7.5U6B, TFC256T10U6B, TFC256T20U2B, TFC256T20U4B, TFC284T15U6B, TFC284T25U4B, TFC284TS25U2B, TFC286T20U6B, TFC286T30U4B, TFC286TS30U2B, TFC324T25U6B, TFC324T40U4B, TFC324TS40U2B, TFC326T30U6B, TFC326T50U4B, TFC326TS50U2B, TFC364T40U6B, TFC364T60U4B, TFC364TS60U2B, TFC365T50U6B, TFC365T75U4B, TFC365TS75U2B, TFC404T60U6B, TFC405T100U4B, TFC405TS100U2B, TFC444T125U4B, TFC444TS125U2B, TFC445T125U6B, TFC445T150U4B, TFC445TS150U2B, TFC447T150U6B, TFC447T200U4B, TFC447TS200U2B, TFA143T1.5U2B, TFA143T1U4B, TFA143T2U2B, TFA145T1.5U4B, TFA145T1U6B, TFA145T2U4B, TFA182T1.5U6B, TFA182T3U2B, TFA182T3U4B, TFA182T5U2B, TFA182T5U4B, TFA182T7.5U2B, TFA182T7.5U4B, TFA213T3U6B, TFA213T7.5U2B, TFA213T7.5U4B, TFA215T10U2B, TFA215T10U4B, TFA215T5U6B, TFC143T1.5U2B, TFC143T1U4B, TFC143T2U2B, TFC145T1.5U4B, TFC145T1U6B, TFC145T2U4B, TFC182T1.5U6B, TFC182T3U2B, TFC182T3U4B, TFC184T2U6B, TFC184T5U2B, TFC184T5U4B, TFC213T3U6B, TFC213T7.5U2B, TFC213T7.5U4B, TFC215T10U2B, TFC215T10U4B, TFC215T5U6B, TFC254T1.5U2B, TFC254T1.5U4B, TFC254T1.5U6B, TFC254T7.5U6B, TFC256T10U6B, TFC256T20U2B, TFC256T20U4B, TFC284T15U6B, TFC284T25U4B, TFC284TS25U2B, TFC286T20U6B, TFC286T30U4B, TFC286TS30U2B, TFC324T25U6B, TFC324T40U4B, TFC324TS40U2B, TFC326T30U6B, TFC326T50U4B, TFC326TS50U2B, TFC364T40U6B, TFC364T60U4B, TFC364TS60U2B, TFC365T50U6B, TFC365T75U4B, TFC365TS75U2B, TFC404T60U6B, TFC405T100U4B, TFC405TS100U2B, TFC444T125U4B, TFC444TS125U2B, TFC445T125U6B, TFC445T150U4B, TFC445TS150U2B, TFC447T150U6B, TFC447T200U4B, TFC447TS200U2B

Model No.	Output	Hz/DC	Volts	FL Amps	Service Factor	SF Amps	Poles	Number of Speeds	RPM	Capacitor Rating	Phases	Ins Class	Duty	Prot. Type	Rated Ambient (°C)
(click on a model number to see complete product details)															
MY100L-2	3 kW	50	230	16.8	-	-	2	1	2740	80 µF , 450 V	1	F	Cont	-	40
	3kW	60	230	18.3	-	-	2	1	3380	80 µF , 450 V	1	F	Cont	-	40
MY100L1-4	2.2 kW	50	230	13	-	-	4	1	1380	80 µF , 450 V	1	F	Cont	-	40
	2.2kW	60	230	12.5	-	-	4	1	1680	80 µF , 450 V	1	F	Cont	-	40
MY100L2-4	3 kW	50	230	16.9	-	-	4	1	1380	100 µF , 450 V	1	F	Cont	-	40
	3kW	60	230	16.9	-	-	4	1	1680	100 µF , 450 V	1	F	Cont	-	40
MY561-2	0.09kW	60	115/230	1.52/0.76	-	-	2	1	3300	10 µF , 250 V	1	F	Cont	-	40
	0.09kW	50	115/230	1.5 2/0.76	-	-	2	1	2740	10 µF , 250 V	1	F	Cont	-	40
MY561-4	0.06kW	50	115/230	1.1 1/0.55	-	-	4	1	1390	10 µF , 250 V	1	F	Cont	-	40
	0.06kW	60	115/230	1.18/0.59	-	-	4	1	1690	10 µF , 250 V	1	F	Cont	-	40
MY562-2	0.12kW	50	115/230	1.87/0.94	-	-	2	1	2750	16 µF , 250 V	1	F	Cont	-	40
	0.12kW	60	115/230	1.8/0.9	-	-	2	1	3350	16 µF , 250 V	1	F	Cont	-	40
MY562-4	0.09kW	50	115/230	1.61/0.8	-	-	4	1	1380	16 µF , 250 V	1	F	Cont	-	40
	0.09kW	60	115/230	1.7/0.85	-	-	4	1	1700	16 µF , 250 V	1	F	Cont	-	40
MY631-2	0.18kW	50	115/230	2.71/1.35	-	-	2	1	2730	25 µF , 250 V	1	F	Cont	-	40
	0.18kW	60	115/230	2.56/1.28	-	-	2	1	3330	25 µF , 250 V	1	F	Cont	-	40

MY631-4	0.12kW	50	115/230	1.91/0.95	-	-	4	1	1380	25 µF , 250 V	1	F	Cont	-	40
	0.12kW	60	115/230	2.05/1.02	-	-	4	1	1690	25 µF , 250 V	1	F	Cont	-	40
MY632-2	0.2475kW	50	115/230	3.53/1.76	-	-	2	1	2730	35 µF , 250 V	1	F	Cont	-	40
	0.2475kW	60	115/230	3.36/1.68	-	-	2	1	3330	35 µF , 250 V	1	F	Cont	-	40
MY632-4	0.1875kW	50	115/230	2.78/1.39	-	-	4	1	1380	35 µF , 250 V	1	F	Cont	-	40
	0.1875kW	60	115/230	2.88/1.44	-	-	4	1	1690	35 µF , 250 V	1	F	Cont	-	40
MY711-2	0.37kW	50	115/230	5.03/2.52	-	-	2	1	2720	45 µF , 250 V	1	F	Cont	-	40
	0.37kW	60	115/230	4.56/2.2	-	-	2	1	3330	45 µF , 250 V	1	F	Cont	-	40
MY711-4	0.2475kW	50	115/230	4.25/2.12	-	-	4	1	1320	45 µF , 250 V	1	F	Cont	-	40
	0.2475kW	60	115/230	3.58/1.79	-	-	4	1	1645	45 µF , 250 V	1	F	Cont	-	40
MY712-2	0.55kW	50	115/230	7.40/3.7	-	-	2	1	2730	60 µF , 250 V	1	F	Cont	-	40
	0.55kW	60	115/230	7.12/3.56	-	-	2	1	3330	60 µF , 250 V	1	F	Cont	-	40
MY712-4	0.37kW	50	115/230	5.31/2.65	-	-	4	1	1300	50 µF , 250 V	1	F	Cont	-	40
	0.37kW	60	115/230	5.21/2.61	-	-	4	1	1630	50 µF , 250 V	1	F	Cont	-	40
MY801-2	0.75kW	50	115/60	10.20/5.1	-	-	2	1	2720	70 µF , 250 V	1	F	Cont	-	40
	0.75kW	60	115/230	9.5/4.7	-	-	2	1	3305	70 µF , 250 V	1	F	Cont	-	40
MY801-4	0.55kW	50	115/230	8.08/4.04	-	-	4	1	1315	60 µF , 250 V	1	F	Cont	-	40
	0.55kW	60	115/230	7.69/3.84	-	-	4	1	1580	60 µF , 250 V	1	F	Cont	-	40
MY802-2	1.1kW	50	115/230	13.46/6.73	-	-	2	1	2720	35 µF , 450 V	1	F	Cont	-	40
	1.1kW	60	115/230	13.56/6.78	-	-	2	1	3305	35 µF , 450 V	1	F	Cont	-	40
MY802-4	0.75kW	50	115/230	10.14/5.07	-	-	4	1	1320	70 µF , 250 V	1	F	Cont	-	40
	0.75kW	60	115/230	10.08/5.04	-	-	4	1	1585	70 µF , 250 V	1	F	Cont	-	40
MY90L-2	2.2kW	50	115/230	25.3/12.6	-	-	2	1	2730	60 µF , 450 V	1	F	Cont	-	40
	2.2kW	60	115/230	24.9/12.4	-	-	2	1	3350	60 µF , 450 V	1	F	Cont	-	40
MY90L-4	1.5kW	50	115/230	17.5/8.8	-	-	4	1	1320	45 µF , 450 V	1	F	Cont	-	40
	1.5kW	60	115/230	17.6/8.8	-	-	4	1	1620	45 µF , 450 V	1	F	Cont	-	40
MY90S-2	1.5kW	50	115/230	17.3/8.6	-	-	2	1	2720	45 µF , 450 V	1	F	Cont	-	40
	1.5kW	60	115/230	17.3/8.6	-	-	2	1	3320	45 µF , 450 V	1	F	Cont	-	40
MY90S-4	1.1kW	50	115/230	14.2/7.1	-	-	4	1	1320	40 µF , 450 V	1	F	Cont	-	40
	1.1kW	60	115/230	13.9/7.0	-	-	4	1	1620	40 µF , 450 V	1	F	Cont	-	40
TM 132S-6	3 kW	60	575	4.78	-	-	6	1	1165	-	3	F	Cont	-	40
	3kW	50	400/690	6.87/3.96	-	-	6	1	960	-	3	F	Cont	-	40
	3kW	60	208- 230/460	12.7- 12.0/5.98	-	-	6	1	1165	-	3	F	Cont	-	40
TM 561-2	0.09kW	50	230/400	0.58/0.33	-	-	2	1	2610	-	3	F	Cont	-	40
	0.09kW	60	208- 230/460	0.52-6.0/0.3	-	-	2	1	3240	-	3	F	Cont	-	40
	0.09kW	60	575	0.19	-	-	2	1	3240	-	3	F	Cont	-	40
TM 562-2	0.12 kW	60	575	0.27	-	-	2	1	3290	-	3	F	Cont	-	40
	0.12kW	50	230/400	0.69/0.4	-	-	2	1	2700	-	3	F	Cont	-	40

	0.12kW	60	208-230/460	0.68-0.66/0.33	-	-	2	1	3290	-	3	F	Cont	-	40
TM 711-4	0.25 kW	60	575	0.55	-	-	4	1	1680	-	3	F	Cont	-	40
	0.25kW	50	230/400	1.45/0.84	-	-	4	1	1350	-	3	F	Cont	-	40
	0.25kW	60	208-230/460	1.38-1.37/0.68	-	-	4	1	1680	-	3	F	Cont	-	40
TM 712-4	0.37 kW	60	575	0.75	-	-	4	1	1690	-	3	F	Cont	-	40
	0.37kW	50	230/400	1.92/1.11	-	-	4	1	1370	-	3	F	Cont	-	40
	0.37kW	60	208-230/460	1.90-1.88/0.94	-	-	4	1	1690	-	3	F	Cont	-	40
TM 712-6	0.25 kW	60	575	0.58	-	-	6	1	1070	-	3	F	Cont	-	40
	0.25kW	50	230/400	1.5 1/0.87	-	-	6	1	900	-	3	F	Cont	-	40
	0.25kW	60	208-230/460	1.55-1.50/0.75	-	-	6	1	1070	-	3	F	Cont	-	40
TM 713-4	0.55 kW	60	575	0.98	-	-	4	1	1670	-	3	F	Cont	-	40
	0.55kW	50	230/400	2.78/1.6	-	-	4	1	1380	-	3	F	Cont	-	40
	0.55kW	60	208-230/460	2.58-2.45/1.22	-	-	4	1	1670	-	3	F	Cont	-	40
TM 100L1-2	3 kW	60	575	3.91	-	-	2	1	3510	-	3	F	Cont	-	40
	3kW	50	230/400	10.55/6.09	-	-	2	1	2890	-	3	F	Cont	-	40
	3kW	60	208-230/460	10.5-9.78/4.89	-	-	2	1	3510	-	3	F	Cont	-	40
TM 100L1-4	2.2 kW	60	575	3.08	-	-	4	1	1750	-	3	F	Cont	-	40
	2.2kW	50	230/400	7.95/4.59	-	-	4	1	1440	-	3	F	Cont	-	40
	2.2kW	60	208-230/460	8.16-7.70/3.85	-	-	4	1	1750	-	3	F	Cont	-	40
TM 100L1-6	1.5 kW	60	575	2.6	-	-	6	1	1160	-	3	F	Cont	-	40
	1.5kW	50	230/400	6.35/3.66	-	-	6	1	940	-	3	F	Cont	-	40
	1.5kW	60	208-230/460	6.53-6.50/3.25	-	-	6	1	1160	-	3	F	Cont	-	40
TM 100L2-2	4 kW	60	575	5.12	-	-	2	1	3490	-	3	F	Cont	-	40
	4kW	50	400/690	7.6/4.39	-	-	2	1	2910	-	3	F	Cont	-	40
	4kW	60	208-230/460	3.3-3.2/1.6	-	-	2	1	3490	-	3	F	Cont	-	40
TM 100L2-4	3 kW	60	575	4.2	-	-	4	1	1750	-	3	F	Cont	-	40
	3kW	50	230/400	10.96/6.33	-	-	4	1	1440	-	3	F	Cont	-	40
	3kW	60	208-230/460	11.2-10.5/5.25	-	-	4	1	1750	-	3	F	Cont	-	40
TM 100L3-4	4 kW	60	575	5.5	-	-	4	1	1740	-	3	F	Cont	-	40
	4kW	50	400/690	8.35/4.82	-	-	4	1	1440	-	3	F	Cont	-	40
	4kW	60	208-230/460	15.1-13.9/6.95	-	-	4	1	1740	-	3	F	Cont	-	40
TM 112L-4	5.5 kW	60	575	7.35	-	-	4	1	1740	-	3	F	Cont	-	40
	5.5kW	50	400/690	11.3/6.5	-	-	4	1	1440	-	3	F	Cont	-	40
	5.5kW	60	208-230/460	19.7-18.4/9.18	-	-	4	1	1740	-	3	F	Cont	-	40
TM 112L1-2	4kW	50	400/690	8.13/4.69	-	-	2	1	1440	-	3	F	Cont	-	40
	4kW	60	208-230/460	14.8-13.8/6.91	-	-	2	1	1735	-	3	F	Cont	-	40
	4kW	60	575	5.5	-	-	2	1	1735	-	3	F	Cont	-	40
	5.5 kW	60	575	7.22	-	-	2	1	3530	-	3	F	Cont	-	40
	5.5kW	50	400/690	10.3/5.95	-	-	2	1	2920	-	3	F	Cont	-	40
TM 112M-6	2.2 kW	60	575	3.7	-	-	6	1	1165	-	3	F	Cont	-	40
	2.2kW	50	230/400	9.7/5.6	-	-	6	1	950	-	3	F	Cont	-	40
	2.2kW	60	208-230/460	9.92-9.42/4.71	-	-	6	1	1165	-	3	F	Cont	-	40
TM	3.7 kW	60	575	4.72	-	-	2	1	3510	-	3	F	Cont	-	40

112M0-2															
	3.7kW	50	400/690	7.15/4.13	-	-	2	1	2920	-	3	F	Cont	-	40
	3.7kW	60	208-230/460	12.8-11.8/5.90	-	-	2	1	3510	-	3	F	Cont	-	40
TM 112M1-2	4 kW	60	575	5.1	-	-	2	1	3510	-	3	F	Cont	-	40
	4kW	50	400/690	7.56/4.36	-	-	2	1	2910	-	3	F	Cont	-	40
	4kW	60	208-230/460	13.9-12.7/6.37	-	-	2	1	3510	-	3	F	Cont	-	40
TM 132 L1-4	9.2kW	50	400/690	17.53/10.12	-	-	4	1	1450	-	3	F	Cont	-	40
	9.2kW	60	208-230/460	33.72-30.5/15.25	-	-	4	1	1760	-	3	F	Cont	-	40
TM 132 L2-4	11kW	50	400/690	20.7/11.95	-	-	4	1	1450	-	3	F	Cont	-	40
	11kW	60	208-230/460	39.8-36/18	-	-	4	1	1760	-	3	F	Cont	-	40
TM 132 M-4	7.5 kW	60	575	9.78	-	-	4	1	1750	-	3	F	Cont	-	40
	7.5kW	50	400/690	14.7/8.48	-	-	4	1	1460	-	3	F	Cont	-	40
	7.5kW	60	208-230/460	26.7-24.4/12.2	-	-	4	1	1750	-	3	F	Cont	-	40
TM 132 M1-6	4 kW	60	575	6.2	-	-	6	1	1165	-	3	F	Cont	-	40
	4kW	50	400/690	9.2 2/5.33	-	-	6	1	960	-	3	F	Cont	-	40
	4kW	60	208-230/460	16.8-15.5/7.75	-	-	6	1	1165	-	3	F	Cont	-	40
TM 132L-6	7.5kW	50	400/690	16.15/9.32	-	-	6	1	960	-	3	F	Cont	-	40
	7.5kW	60	208-230/460	31.47-28.46/14.23	-	-	6	1	1170	-	3	F	Cont	-	40
TM 132M0-6	3.7 kW	60	575	5.74	-	-	6	1	1165	-	3	F	Cont	-	40
	3.7kW	50	400/690	8.31/4.8	-	-	6	1	960	-	3	F	Cont	-	40
	3.7kW	60	208-230/460	15.5-14.3/7.17	-	-	6	1	1165	-	3	F	Cont	-	40
TM 132M2-2	11 kW	60	575	13.3	-	-	2	1	3530	-	3	F	Cont	-	40
	11kW	50	400/690	19.6/11.3	-	-	2	1	2930	-	3	F	Cont	-	40
	11kW	60	208-230/460	36.5-33.2/16.6	-	-	2	1	3530	-	3	F	Cont	-	40
TM 132M2-6	5.5 kW	60	575	8.34	-	-	6	1	1165	-	3	F	Cont	-	40
	5.5kW	50	400/690	12.3/7.1	-	-	6	1	960	-	3	F	Cont	-	40
	5.5kW	60	208-230/460	22.4-21.0/10.5	-	-	6	1	1165	-	3	F	Cont	-	40
TM 132S-4	5.5 kW	60	575	7.35	-	-	4	1	1750	-	3	F	Cont	-	40
	5.5kW	50	400/690	10.9/6.29	-	-	4	1	1460	-	3	F	Cont	-	40
	5.5kW	60	208-230/460	19.7-18.4/9.18	-	-	4	1	1750	-	3	F	Cont	-	40
TM 132S1-2	5.5 kW	60	575	6.86	-	-	2	1	3510	-	3	F	Cont	-	40
	5.5kW	50	400/690	10.25/5.92	-	-	2	1	2910	-	3	F	Cont	-	40
	5.5kW	60	208-230/460	18.7-17/8.5	-	-	2	1	3510	-	3	F	Cont	-	40
TM 132S2-2	7.5 kW	60	575	9.14	-	-	2	1	3520	-	3	F	Cont	-	40
	7.5kW	50	400/690	13.8/7.97	-	-	2	1	2920	-	3	F	Cont	-	40
	7.5kW	60	208-230/460	25.2-22.8/11.4	-	-	2	1	3520	-	3	F	Cont	-	40
TM 160 L1-4	15 kW	60	575	18.8	-	-	4	1	1760	-	3	F	Cont	-	40
	15kW	50	400/690	25.97/15.06	-	-	4	1	1445	-	3	F	Cont	-	40
	15kW	60	208-230/460	52.0-47.0/23.5	-	-	4	1	1760	-	3	F	Cont	-	40
TM 160 L2-4	18.5 kW	60	575	23.7	-	-	4	1	1770	-	3	F	Cont	-	40
	18.5kW	50	400/690	34.1/19.74	-	-	4	1	1445	-	3	F	Cont	-	40

	18.5kW	60	208-230/460	65.5-59.2/29.6	-	-	4	1	1770	-	3	F	Cont	-	40
TM 160L1-2	18.5 kW	60	575	23.1	-	-	2	1	3550	-	3	F	Cont	-	40
	18.5kW	50	400/690	31.93/18.51	-	-	2	1	2922	-	3	F	Cont	-	40
	18.5kW	60	208-230/460	63.9-57.8/28.9	-	-	2	1	3550	-	3	F	Cont	-	40
TM 160L1-6	11 kW	60	575	15.4	-	-	6	1	1175	-	3	F	Cont	-	40
	11kW	50	400/690	21.06/12.21	-	-	6	1	960	-	3	F	Cont	-	40
	11kW	60	208-230/460	42.7-38.6/19.3	-	-	6	1	1175	-	3	F	Cont	-	40
TM 160M-4	11 kW	60	575	14.9	-	-	4	1	1760	-	3	F	Cont	-	40
	11kW	50	400/690	19.43/11.26	-	-	4	1	1440	-	3	F	Cont	-	40
	11kW	60	208-230/460	41.1-37.2/18.6	-	-	4	1	1760	-	3	F	Cont	-	40
TM 160M-6	7.5 kW	60	575	11	-	-	6	1	1170	-	3	F	Cont	-	40
	7.5kW	50	400/690	14.78/8.58	-	-	6	1	955	-	3	F	Cont	-	40
	7.5kW	60	208-230/460	30.3-27.4/13.7	-	-	6	1	1170	-	3	F	Cont	-	40
TM 160M1-2	11kW	50	400/690	19.73/11.44	-	-	2	1	2920	-	3	F	Cont	-	40
	11kW	60	208-230/460	38.9-35.2/17.6	-	-	2	1	3540	-	3	F	Cont	-	40
	11kW	60	575	14.1	-	-	2	1	3540	-	3	F	Cont	-	40
TM 160M2-2	15 kW	60	575	18.6	-	-	2	1	3530	-	3	F	Cont	-	40
	15kW	50	400/690	26.35/15.27	-	-	2	1	2918	-	3	F	Cont	-	40
	15kW	60	208-230/460	51.3-46.4/23.2	-	-	2	1	3530	-	3	F	Cont	-	40
TM 180L1-4	22 kW	60	575	28.4	-	-	4	1	1770	-	3	F	Cont	-	40
	22kW	50	400/690	38.95/22.58	-	-	4	1	1460	-	3	F	Cont	-	40
	22kW	60	208-230/460	78.6-71/35.3	-	-	4	1	1770	-	3	F	Cont	-	40
TM 180L1-6	15 kW	60	575	20.6	-	-	6	1	1175	-	3	F	Cont	-	40
	15kW	50	400/690	29.08/16.86	-	-	6	1	960	-	3	F	Cont	-	40
	15kW	60	208-230/460	57.1-51.6/25.8	-	-	6	1	1175	-	3	F	Cont	-	40
TM 180M-2	22 kW	60	575	27.6	-	-	2	1	3550	-	3	F	Cont	-	40
	22kW	50	400/690	39.8/22.65	-	-	2	1	2930	-	3	F	Cont	-	40
	22kW	60	208-230/460	76.3-69/34.5	-	-	2	1	3550	-	3	F	Cont	-	40
TM 180M-4	18.5 kW	60	575	23.7	-	-	4	1	1770	-	3	F	Cont	-	40
	18.5kW	50	400/690	34.05/19.74	-	-	4	1	1445	-	3	F	Cont	-	40
	18.5kW	60	208-230/460	65.5-59.2/29.6	-	-	4	1	1770	-	3	F	Cont	-	40
TM 200L1-2	30 kW	60	575	37.2	-	-	2	1	3560	-	3	F	Cont	-	40
	30kW	50	400/690	52.88/30.66	-	-	2	1	2925	-	3	F	Cont	-	40
	30kW	60	208-230/460	102.8-93/46.5	-	-	2	1	3560	-	3	F	Cont	-	40
TM 200L1-4	30 kW	60	575	37.7	-	-	4	1	1770	-	3	F	Cont	-	40
	30kW	50	400/690	56.52/32.77	-	-	4	1	1460	-	3	F	Cont	-	40
	30kW	60	208-230/460	104.2-94.2/47.1	-	-	4	1	1770	-	3	F	Cont	-	40
TM 200L1-6	18.5 kW	60	575	25.5	-	-	6	1	1180	-	3	F	Cont	-	40
	18.5kW	50	400/690	34.75/20.15	-	-	6	1	965	-	3	F	Cont	-	40
	18.5kW	60	208-230/460	70.6-63.8/31.9	-	-	6	1	1180	-	3	F	Cont	-	40
TM	37 kW	60	575	46.8	-	-	2	1	3560	-	3	F	Cont	-	40

200L2-2															
	37kW	50	400/690	64.15/37.19	-	-	2	1	2930	-	3	F	Cont	-	40
	37kW	60	208-230/460	129.4-117/58.5	-	-	2	1	3560	-	3	F	Cont	-	40
TM 200L2-4	37 kW	60	575	47.4	-	-	4	1	1770	-	3	F	Cont	-	40
	37kW	50	400/690	65.5/38.1	-	-	4	1	1470	-	3	F	Cont	-	40
	37kW	60	208-230/460	130.9-118.4/59.2	-	-	4	1	1770	-	3	F	Cont	-	40
TM 200L2-6	22 kW	60	575	30.4	-	-	6	1	1180	-	3	F	Cont	-	40
	22kW	50	400/690	40.62/23.55	-	-	6	1	965	-	3	F	Cont	-	40
	22kW	60	208-230/460	84-76/38	-	-	6	1	1180	-	3	F	Cont	-	40
TM 225M-2	45 kW	60	575	54	-	-	2	1	3560	-	3	F	Cont	-	40
	45kW	50	400/690	79.45/46.06	-	-	2	1	2930	-	3	F	Cont	-	40
	45kW	60	208-230/460	149.3-135/67.5	-	-	2	1	3560	-	3	F	Cont	-	40
TM 225M-4	45 kW	60	575	55.5	-	-	4	1	1775	-	3	F	Cont	-	40
	45kW	50	400/690	79.2 8/45.69	-	-	4	1	1470	-	3	F	Cont	-	40
	45kW	60	208-230/460	153.5-138.8/69.4	-	-	4	1	1775	-	3	F	Cont	-	40
TM 225M1-6	30 kW	60	575	37.9	-	-	6	1	1180	-	3	F	Cont	-	40
	30kW	50	400/690	55.5 5/32.2	-	-	6	1	975	-	3	F	Cont	-	40
	30kW	60	208-230/460	104.8-94.8/47.4	-	-	6	1	1180	-	3	F	Cont	-	40
TM 225M2-4	55 kW	60	575	69	-	-	4	1	1775	-	3	F	Cont	-	40
	55kW	50	400/690	96.48/55.93	-	-	4	1	1480	-	3	F	Cont	-	40
	55kW	60	208-230/460	190.6-172.4/86.2	-	-	4	1	1775	-	3	F	Cont	-	40
TM 225S-4	37 kW	60	575	47.4	-	-	4	1	1770	-	3	F	Cont	-	40
	37kW	50	400/690	65.47/37.95	-	-	4	1	1470	-	3	F	Cont	-	40
	37kW	60	208-230/460	130.9-118.4/59.2	-	-	4	1	1770	-	3	F	Cont	-	40
TM 250M1-2	55 kW	60	575	67.4	-	-	2	1	3560	-	3	F	Cont	-	40
	55kW	50	400/690	96.79/56.11	-	-	2	1	2940	-	3	F	Cont	-	40
	55kW	60	208-230/460	186.4-168.6/84.3	-	-	2	1	3560	-	3	F	Cont	-	40
TM 250M1-4	55 kW	60	575	69	-	-	4	1	1775	-	3	F	Cont	-	40
	55kW	50	400/690	96.48/55.93	-	-	4	1	1480	-	3	F	Cont	-	40
	55kW	60	208-230/460	190.6-172.4/86.2	-	-	4	1	1775	-	3	F	Cont	-	40
TM 250M1-6	37 kW	60	575	47.4	-	-	6	1	1180	-	3	F	Cont	-	40
	37kW	50	400/690	69.79/40.46	-	-	6	1	975	-	3	F	Cont	-	40
	37kW	60	208-230/460	130.9-118.4/59.2	-	-	6	1	1180	-	3	F	Cont	-	40
TM 250M2-2	75 kW	60	575	80	-	-	2	1	3570	-	3	F	Cont	-	40
	75kW	50	400/690	125.44/72.72	-	-	2	1	2940	-	3	F	Cont	-	40
	75kW	60	208-230/460	221.2-200/100	-	-	2	1	3570	-	3	F	Cont	-	40
TM 250M2-4	75 kW	60	575	91.2	-	-	4	1	1780	-	3	F	Cont	-	40
	75kW	50	400/690	126.55/73.36	-	-	4	1	1480	-	3	F	Cont	-	40
	75kW	60	208-230/460	252.2-228/114	-	-	4	1	1780	-	3	F	Cont	-	40
TM 250M2-6	45 kW	60	575	56	-	-	6	1	1185	-	3	F	Cont	-	40
	45kW	50	400/690	81.47/47.23	-	-	6	1	980	-	3	F	Cont	-	40
	45kW	60	208-	154.8-140/70	-	-	6	1	1185	-	3	F	Cont	-	40


			230/460												
TM 280M-2	90 kW	60	575	109.6	-	-	2	1	3575	-	3	F	Cont	-	40
	90kW	50	400/690	150.05/86.99	-	-	2	1	2940	-	3	F	Cont	-	40
	90kW	60	460	137	-	-	2	1	3575	-	3	F	Cont	-	40
TM 280M-4	90 kW	60	575	112.8	-	-	4	1	1780	-	3	F	Cont	-	40
	90kW	50	400/690	149.89/86.89	-	-	4	1	1480	-	3	F	Cont	-	40
	90kW	60	460	141	-	-	4	1	1780	-	3	F	Cont	-	40
TM 280M-6	55 kW	60	575	70.1	-	-	6	1	1185	-	3	F	Cont	-	40
	55kW	50	400/690	99.15/57.48	-	-	6	1	980	-	3	F	Cont	-	40
	55kW	60	208-230/460	193.9-175.4/87.7	-	-	6	1	1185	-	3	F	Cont	-	40
TM 280M2-2	110kW	50	400/690	187.08/108.45	-	-	2	1	2940	-	3	F	Cont	-	40
	110kW	60	460	164	-	-	2	1	3575	-	3	F	Cont	-	40
	110kW	60	575	131.2	-	-	2	1	3575	-	3	F	Cont	-	40
TM 280M2-4	110 kW	60	575	135.2	-	-	4	1	1780	-	3	F	Cont	-	40
	110kW	50	400/690	186.68/108.22	-	-	4	1	1480	-	3	F	Cont	-	40
	110kW	60	460	169	-	-	4	1	1780	-	3	F	Cont	-	40
TM 280M2-6	75 kW	60	575	92.8	-	-	6	1	1180	-	3	F	Cont	-	40
	75kW	50	400/690	129.81/75.25	-	-	6	1	980	-	3	F	Cont	-	40
	75kW	60	208-230/460	256.5-232/116	-	-	6	1	1180	-	3	F	Cont	-	40
TM 280S-2	75 kW	60	575	80	-	-	2	1	3570	-	3	F	Cont	-	40
	75kW	50	400/690	125.44/72.72	-	-	2	1	2940	-	3	F	Cont	-	40
	75kW	60	208-230/460	221.2-200/100	-	-	2	1	3570	-	3	F	Cont	-	40
TM 280S-4	75 kW	60	575	91.2	-	-	4	1	1780	-	3	F	Cont	-	40
	75kW	50	400/690	126.55/73.36	-	-	4	1	1480	-	3	F	Cont	-	40
	75kW	60	460	114	-	-	4	1	1780	-	3	F	Cont	-	40
TM 280S-6	45 kW	60	575	56	-	-	6	1	1185	-	3	F	Cont	-	40
	45kW	50	400/690	81.47/47.23	-	-	6	1	980	-	3	F	Cont	-	40
	45kW	60	208-230/460	154.8-140/70	-	-	6	1	1185	-	3	F	Cont	-	40
TM 315 L2-6	132 kW	60	575	158.56	-	-	6	1	1180	-	3	F	Cont	-	40
	132kW	50	400/690	226.29/131.18	-	-	6	1	980	-	3	F	Cont	-	40
	132kW	60	460	198.2	-	-	6	1	1180	-	3	F	Cont	-	40
TM 315 M-2	132 kW	60	575	168	-	-	2	1	3575	-	3	F	Cont	-	40
	132kW	50	400/690	221.32/128.3	-	-	2	1	2940	-	3	F	Cont	-	40
	132kW	60	460	210	-	-	2	1	3575	-	3	F	Cont	-	40
TM 315 M-4	132 kW	60	575	154.96	-	-	4	1	1775	-	3	F	Cont	-	40
	132kW	50	400/690	221.09/128.17	-	-	4	1	1480	-	3	F	Cont	-	40
	132kW	60	460	193.7	-	-	4	1	1775	-	3	F	Cont	-	40
TM 315L1-2	160 kW	60	575	176	-	-	2	1	3575	-	3	F	Cont	-	40
	160kW	50	400/690	270.68/156.91	-	-	2	1	2945	-	3	F	Cont	-	40
	160kW	60	460	220	-	-	2	1	3575	-	3	F	Cont	-	40
TM 315L1-4	160 kW	60	575	187.84	-	-	4	1	1775	-	3	F	Cont	-	40
	160kW	50	400/690	267.42/155.03	-	-	4	1	1480	-	3	F	Cont	-	40
	160kW	60	460	234.8	-	-	4	1	1775	-	3	F	Cont	-	40
TM 315L1-6	110 kW	60	575	132.16	-	-	6	1	1180	-	3	F	Cont	-	40
	110kW	50	400/690	187.08/108.45	-	-	6	1	980	-	3	F	Cont	-	40

	110kW	60	460	165.2	-	-	6	1	1180	-	3	F	Cont	-	40
TM 315L2-2	200 kW	60	575	230	-	-	2	1	3575	-	3	F	Cont	-	40
	200kW	50	400/690	341.43/197.93	-	-	2	1	2945	-	3	F	Cont	-	40
	200kW	60	460	287	-	-	2	1	3575	-	3	F	Cont	-	40
TM 315L2-4	200 kW	60	575	233.92	-	-	4	1	1775	-	3	F	Cont	-	40
	200kW	50	400/690	337.28/195.52	-	-	4	1	1480	-	3	F	Cont	-	40
	200kW	60	460	292.2	-	-	4	1	1775	-	3	F	Cont	-	40
TM 315M-6	90 kW	60	575	109.12	-	-	6	1	1180	-	3	F	Cont	-	40
	90kW	50	400/690	153.55/89.01	-	-	6	1	980	-	3	F	Cont	-	40
	90kW	60	460	136.4	-	-	6	1	1180	-	3	F	Cont	-	40
TM 315S-2	110 kW	60	575	131.2	-	-	2	1	3575	-	3	F	Cont	-	40
	110kW	50	400/690	187.08/108.45	-	-	2	1	2940	-	3	F	Cont	-	40
	110kW	60	460	164	-	-	2	1	3575	-	3	F	Cont	-	40
TM 315S-4	110 kW	60	575	135.2	-	-	4	1	1775	-	3	F	Cont	-	40
	110kW	50	400/690	186.68/108.22	-	-	4	1	1480	-	3	F	Cont	-	40
	110kW	60	460	169	-	-	4	1	1775	-	3	F	Cont	-	40
TM 315S-6	75 kW	60	575	92.8	-	-	6	1	1180	-	3	F	Cont	-	40
	75kW	50	400/690	129.81/75.25	-	-	6	1	980	-	3	F	Cont	-	40
	75kW	60	208-230/460	256.5-232/116	-	-	6	1	1180	-	3	F	Cont	-	40
TM 355 M2-2	250 kW	60	575	289.2	-	-	2	1	3575	-	3	F	Cont	-	40
	250kW	50	400/690	422.04/244.66	-	-	2	1	2945	-	3	F	Cont	-	40
	250kW	60	460	361.5	-	-	2	1	3575	-	3	F	Cont	-	40
TM 355 M2-4	250 kW	60	575	292.4	-	-	4	1	1775	-	3	F	Cont	-	40
	250kW	50	400/690	426.33/247.15	-	-	4	1	1480	-	3	F	Cont	-	40
	250kW	60	460	365.5	-	-	4	1	1775	-	3	F	Cont	-	40
TM 355 M2-6	185 kW	60	575	219.68	-	-	6	1	1180	-	3	F	Cont	-	40
	185kW	50	400/690	315.8/182.4	-	-	6	1	980	-	3	F	Cont	-	40
	185kW	60	460	274.6	-	-	6	1	1180	-	3	F	Cont	-	40
TM 355 M3-6	200 kW	60	575	234.88	-	-	6	1	1180	-	3	F	Cont	-	40
	200kW	50	400/690	337.73/195.72	-	-	6	1	980	-	3	F	Cont	-	40
	200kW	60	460	293.6	-	-	6	1	1180	-	3	F	Cont	-	40
TM 355L1-2	280 kW	60	575	323.8	-	-	2	1	3575	-	3	F	Cont	-	40
	280kW	50	400/690	472.7/274.1	-	-	2	1	2945	-	3	F	Cont	-	40
	280kW	60	460	404.8	-	-	2	1	3575	-	3	F	Cont	-	40
TM 355L1-4	280 kW	60	575	327.44	-	-	4	1	1775	-	3	F	Cont	-	40
	280kW	50	400/690	477.49/276.81	-	-	4	1	1480	-	3	F	Cont	-	40
	280kW	60	460	409.3	-	-	4	1	1775	-	3	F	Cont	-	40
TM 355L1-6	220 kW	60	575	258.32	-	-	6	1	1180	-	3	F	Cont	-	40
	220kW	50	400/690	371.4/214.4	-	-	6	1	980	-	3	F	Cont	-	40
	220kW	60	460	322.9	-	-	6	1	1180	-	3	F	Cont	-	40
TM 355L2-2	315 kW	60	575	364.32	-	-	2	1	3575	-	3	F	Cont	-	40
	315kW	50	400/690	537.74/311.74	-	-	2	1	2945	-	3	F	Cont	-	40
	315kW	60	460	455.4	-	-	2	1	3575	-	3	F	Cont	-	40
TM 355L2-4	315 kW	60	575	364.32	-	-	4	1	1775	-	3	F	Cont	-	40
	315kW	50	400/690	531.21/307.95	-	-	4	1	1480	-	3	F	Cont	-	40
	315kW	60	460	455.4	-	-	4	1	1775	-	3	F	Cont	-	40
TM 355L2-6	250 kW	60	575	293.6	-	-	6	1	1180	-	3	F	Cont	-	40

	250kW	50	400/690	426.78/247.41	-	-	6	1	980	-	3	F	Cont	-	40
	250kW	60	460	367	-	-	6	1	1180	-	3	F	Cont	-	40
TM 355M-2	200 kW	60	575	230	-	-	2	1	3575	-	3	F	Cont	-	40
	200kW	50	400/690	341.43/197.93	-	-	2	1	2945	-	3	F	Cont	-	40
	200kW	60	460	287	-	-	2	1	3575	-	3	F	Cont	-	40
TM 355M1-2	220 kW	60	575	257.3	-	-	2	1	3575	-	3	F	Cont	-	40
	220kW	50	400/690	371.39/215.3	-	-	2	1	2945	-	3	F	Cont	-	40
	220kW	60	460	321.6	-	-	2	1	3575	-	3	F	Cont	-	40
TM 355M1-4	220 kW	60	575	257.28	-	-	4	1	1775	-	3	F	Cont	-	40
	220kW	50	400/690	371.00/215.08	-	-	4	1	1480	-	3	F	Cont	-	40
	220kW	60	460	321.6	-	-	4	1	1775	-	3	F	Cont	-	40
TM 355M1-6	160 kW	60	575	190	-	-	6	1	1180	-	3	F	Cont	-	40
	160kW	50	400/690	267.57/155.07	-	-	6	1	980	-	3	F	Cont	-	40
	160kW	60	460	237.5	-	-	6	1	1180	-	3	F	Cont	-	40
TM 561-2	0.09 kW	60	575	0.19	-	-	2	1	3240	-	3	F	Cont	-	40
	0.09kW	50	230/400	0.58/0.33	-	-	2	1	2610	-	3	F	Cont	-	40
	0.09kW	60	208-230/460	0.52-0.60/0.30	-	-	2	1	3240	-	3	F	Cont	-	40
TM 561-4	0.06 kW	60	575	0.23	-	-	4	1	1610	-	3	F	Cont	-	40
	0.06kW	50	230/400	0.61/0.35	-	-	4	1	1360	-	3	F	Cont	-	40
	0.06kW	60	208-230/460	0.60-0.58/0.29	-	-	4	1	1610	-	3	F	Cont	-	40
TM 562-4	0.09 kW	60	575	0.29	-	-	4	1	1610	-	3	F	Cont	-	40
	0.09kW	50	230/400	0.78/0.45	-	-	4	1	1360	-	3	F	Cont	-	40
	0.09kW	60	208-230/460	0.75-0.72/0.36	-	-	4	1	1610	-	3	F	Cont	-	40
TM 563-2	0.18 kW	60	575	0.35	-	-	2	1	3290	-	3	F	Cont	-	40
	0.18kW	50	230/400	0.95/0.55	-	-	2	1	2710	-	3	F	Cont	-	40
	0.18kW	60	208-230/460	0.94-0.88/0.44	-	-	2	1	3290	-	3	F	Cont	-	40
TM 563-4	0.12 kW	60	575	0.36	-	-	4	1	1560	-	3	F	Cont	-	40
	0.12kW	50	230/400	0.95/0.55	-	-	4	1	1360	-	3	F	Cont	-	40
	0.12kW	60	208-230/460	0.95-0.90/0.45	-	-	4	1	1560	-	3	F	Cont	-	40
TM 631-2	0.18 kW	60	575	0.35	-	-	2	1	3290	-	3	F	Cont	-	40
	0.18kW	50	230/400	0.95/0.55	-	-	2	1	2710	-	3	F	Cont	-	40
	0.18kW	60	208-230/460	0.94-0.88/0.44	-	-	2	1	3290	-	3	F	Cont	-	40
TM 631-4	0.12 kW	60	575	0.36	-	-	4	1	1620	-	3	F	Cont	-	40
	0.12kW	50	230/400	0.950.55	-	-	4	1	1360	-	3	F	Cont	-	40
	0.12kW	60	208-230/460	0.95-0.90/0.45	-	-	4	1	1620	-	3	F	Cont	-	40
TM 631-6	0.09 kW	60	575	0.32	-	-	6	1	1030	-	3	F	Cont	-	40
	0.09kW	50	230/400	0.88/0.51	-	-	6	1	840	-	3	F	Cont	-	40
	0.09kW	60	208-230/460	0.82-0.79/0.40	-	-	6	1	1030	-	3	F	Cont	-	40
TM 632-2	0.25 kW	60	575	0.46	-	-	2	1	3290	-	3	F	Cont	-	40
	0.25kW	50	230/400	1.23/0.71	-	-	2	1	2710	-	3	F	Cont	-	40
	0.25kW	60	208-230/460	1.1 6-1.14/0.57	-	-	2	1	3290	-	3	F	Cont	-	40
TM 632-4	0.18 kW	60	575	0.5	-	-	4	1	1640	-	3	F	Cont	-	40
	0.18kW	50	230/400	1.21/0.7	-	-	4	1	1310	-	3	F	Cont	-	40
	0.18kW	60	208-230/460	1.26-1.25/0.63	-	-	4	1	1640	-	3	F	Cont	-	40
TM 632-6	0.12 kW	60	575	0.36	-	-	6	1	1030	-	3	F	Cont	-	40
	0.12kW	50	230/400	1.08/0.62	-	-	6	1	850	-	3	F	Cont	-	40
	0.12kW	60	208-230/460	0.93-0.90/0.45	-	-	6	1	1030	-	3	F	Cont	-	40

TM 633-2	0.37 kW	60	575	0.67	-	-	2	1	3290	-	3	F	Cont	-	40
	0.37kW	50	230/400	1.82/1.05	-	-	2	1	2710	-	3	F	Cont	-	40
	0.37kW	60	208-230/460	1.84-1.68/0.84	-	-	2	1	3290	-	3	F	Cont	-	40
TM 633-4	0.25 kW	60	575	0.43	-	-	4	1	1620	-	3	F	Cont	-	40
	0.25kW	50	230/400	1.5 8/0.91	-	-	4	1	1340	-	3	F	Cont	-	40
	0.25kW	60	208-230/460	1.5 5-1.46/0.73	-	-	4	1	1620	-	3	F	Cont	-	40
TM 711-2	0.37 kW	60	575	0.65	-	-	2	1	3390	-	3	F	Cont	-	40
	0.37kW	50	230/400	1.67/0.97	-	-	2	1	2730	-	3	F	Cont	-	40
	0.37kW	60	208-230/460	1.66-1.62/0.81	-	-	2	1	2730	-	3	F	Cont	-	40
TM 711-6	0.18 kW	60	575	0.46	-	-	6	1	1070	-	3	F	Cont	-	40
	0.18kW	50	230/400	1.22/0.7	-	-	6	1	880	-	3	F	Cont	-	40
	0.18kW	60	208-230/460	1.1 8-1.1 6/0.58	-	-	6	1	1070	-	3	F	Cont	-	40
TM 712-2	0.55 kW	60	575	0.94	-	-	2	1	3400	-	3	F	Cont	-	40
	0.55kW	50	230/400	2.45/1.42	-	-	2	1	2760	-	3	F	Cont	-	40
	0.55kW	60	208-230/460	2.39-2.34/1.1 7	-	-	2	1	3400	-	3	F	Cont	-	40
TM 713-2	0.75 kW	60	575	1.2	-	-	2	1	3350	-	3	F	Cont	-	40
	0.75kW	50	230/400	3.18/1.83	-	-	2	1	2730	-	3	F	Cont	-	40
	0.75kW	60	208-230/460	3.20-3.00/1.5	-	-	2	1	3350	-	3	F	Cont	-	40
TM 713-6	0.37 kW	60	575	0.84	-	-	6	1	1070	-	3	F	Cont	-	40
	0.37kW	50	230/400	2.38/1.37	-	-	6	1	860	-	3	F	Cont	-	40
	0.37kW	60	208-230/460	2.15-2.10/1.24	-	-	6	1	1070	-	3	F	Cont	-	40
TM 801-2	0.75 kW	60	575	1.3	-	-	2	1	3470	-	3	F	Cont	-	40
	0.75kW	50	230/400	3.0/1.73	-	-	2	1	2840	-	3	F	Cont	-	40
	0.75kW	60	208-230/460	3.20-3.24/1.62	-	-	2	1	3470	-	3	F	Cont	-	40
TM 801-4	0.55 kW	60	575	0.84	-	-	4	1	1710	-	3	F	Cont	-	40
	0.55kW	50	230/400	2.25/1.3	-	-	4	1	1410	-	3	F	Cont	-	40
	0.55kW	60	208-230/460	2.32-2.10/1.05	-	-	4	1	1710	-	3	F	Cont	-	40
TM 802-2	1.1kW	50	230/400	4.21/2.43	-	-	2	1	2880	-	3	F	Cont	-	40
	1.1kW	60	208-230/460	4.26-4.13/2.07	-	-	2	1	3470	-	3	F	Cont	-	40
	1.1kW	60	575	1.65	-	-	2	1	3470	-	3	F	Cont	-	40
TM 802-4	0.75 kW	60	575	1.34	-	-	4	1	1740	-	3	F	Cont	-	40
	0.75kW	50	230/400	3.31/1.91	-	-	4	1	1430	-	3	F	Cont	-	40
	0.75kW	60	208-230/460	3.26-3.36/1.68	-	-	4	1	1740	-	3	F	Cont	-	40
TM 803-4	1.1kW	50	230/400	4.9/2.83	-	-	4	1	1420	-	3	F	Cont	-	40
	1.1kW	60	208-230/460	5.46-4.94/2.47	-	-	4	1	1730	-	3	F	Cont	-	40
TM 803-6	0.75kW	50	230/400	3.95/2.28	-	-	6	1	920	-	3	F	Cont	-	40
	0.75kW	60	208-230/460	4.36-3.94/1.97	-	-	6	1	1140	-	3	F	Cont	-	40
TM 90L-6	1.1kW	50	230/400	5.42/3.13	-	-	6	1	940	-	3	F	Cont	-	40
	1.1kW	60	208-230/460	5.97-5.4/2.7	-	-	6	1	1150	-	3	F	Cont	-	40
TM 90L1-2	2.2 kW	60	575	3.11	-	-	2	1	3490	-	3	F	Cont	-	40
	2.2kW	50	230/400	7.87/4.54	-	-	2	1	2880	-	3	F	Cont	-	40
	2.2kW	60	208-230/460	7.98-7.78/3.89	-	-	2	1	3490	-	3	F	Cont	-	40
TM 90L1-4	1.5 kW	60	575	2.39	-	-	4	1	1730	-	3	F	Cont	-	40
	1.5kW	50	230/400	6.11/3.53	-	-	4	1	1430	-	3	F	Cont	-	40
	1.5kW	60	208-230/460	6.18-5.98/2.99	-	-	4	1	1730	-	3	F	Cont	-	40
TM 90L2-	3 kW	60	575	4.24	-	-	2	1	3480	-	3	F	Cont	-	40

2															
	3kW	50	230/400	10.6/6.1	-	-	2	1	2880	-	3	F	Cont	-	40
	3kW	60	208-230/460	11.3-10.6/5.3	-	-	2	1	3480	-	3	F	Cont	-	40
TM 90L2-4	2.2kW	50	230/400	8.87/5.12	-	-	4	1	1410	-	3	F	Cont	-	40
	2.2kW	60	208-230/460	9.84-8.9/4.45	-	-	4	1	1720	-	3	F	Cont	-	40
TM 90S-2	1.5 kW	60	575	2.17	-	-	2	1	3500	-	3	F	Cont	-	40
	1.5kW	50	230/400	5.55/3.2	-	-	2	1	2880	-	3	F	Cont	-	40
	1.5kW	60	208-230/460	5.56-5.42/2.71	-	-	2	1	3500	-	3	F	Cont	-	40
TM 90S-4	1.1 kW	60	575	1.83	-	-	4	1	1730	-	3	F	Cont	-	40
	1.1kW	50	230/400	4.69/2.7	-	-	4	1	1430	-	3	F	Cont	-	40
	1.1kW	60	208-230/460	4.59-4.56/2.2	-	-	4	1	1730	-	3	F	Cont	-	40
TM 90S-6	0.75 kW	60	575	1.38	-	-	6	1	1140	-	3	F	Cont	-	40
	0.75kW	50	230/400	3.8/2.19	-	-	6	1	940	-	3	F	Cont	-	40
	0.75kW	60	208-230/460	3.49-3.46/1.73	-	-	6	1	1140	-	3	F	Cont	-	40
TM112M-4	4 kW	60	575	5.5	-	-	4	1	1735	-	3	F	Cont	-	40
	4kW	50	400/690	8.13/4.69	-	-	4	1	1440	-	3	F	Cont	-	40
	4kW	60	208-230/460	14.8-13.8/6.91	-	-	4	1	1735	-	3	F	Cont	-	40
TM132M1-2	9.2 kW	60	575	11.2	-	-	2	1	3520	-	3	F	Cont	-	40
	9.2kW	50	400/690	16.7/9.65	-	-	2	1	2925	-	3	F	Cont	-	40
	9.2kW	60	208-230/460	30.2-28/14	-	-	2	1	3520	-	3	F	Cont	-	40
TM180L-2	30 kW	60	575	37.2	-	-	2	1	3560	-	3	F	Cont	-	40
	30kW	50	400/690	52.88/30.66	-	-	2	1	2925	-	3	F	Cont	-	40
	30kW	60	208-230/460	102.8-93.0/46.5	-	-	2	1	3560	-	3	F	Cont	-	40
TM225M2-2	55 kW	60	575	67.4	-	-	2	1	3560	-	3	F	Cont	-	40
	55kW	50	400/690	96.79/56.11	-	-	2	1	2940	-	3	F	Cont	-	40
	55kW	60	208-230/460	186.4-168.6/84.3	-	-	2	1	3560	-	3	F	Cont	-	40
TM803-2	1.5 kW	60	575	2.12	-	-	2	1	3480	-	3	F	Cont	-	40
	1.5kW	50	230/400	5.56/3.21	-	-	2	1	2880	-	3	F	Cont	-	40
	1.5kW	60	208-230/460	5.74-5.30/2.65	-	-	2	1	3480	-	3	F	Cont	-	40



Marking: Company name or trademark
 for Canada,  motor type and model (or model designation) and the Recognized Component Mark
 Last Updated on 2015-06-16

[Questions?](#) [Print this page](#) [Terms of Use](#) [Page Top](#)

◆ 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".