

**QXZF.EX26635  
Fire Pump Motors**[Page Bottom](#)**Fire Pump Motors**[See General Information for Fire Pump Motors](#)**SHANGHAI TOP MOTOR CO LTD**

EX26635

303 KANGLIU RD  
KANGQIAO INDUSTRIAL AREA  
NANHUI  
201315 SHANGHAI, CHINA

Model No.	Output	Hz/DC	Volts	FL Amps	Service Factor	Poles	Number of Speeds	RPM	Phases	Ins Class	Prot. Type	Rated Ambient (°C)
(click on a model number to see complete product details)												
<b>T100L1-2</b>	3kW	50	220-240	10.16-9.31	-	2	1	2851	3	F	-	50
	3kW	50	380-415	5.88-5.38	-	2	1	2851	3	F	-	50
<b>T100L1-4</b>	2.2kW	50	220-240	8.12-7.44	-	4	1	1430	3	F	-	50
	2.2kW	50	380-415	4.7-4.31	-	4	1	1430	3	F	-	50
<b>T100L1-6</b>	1.5kW	50	220-240	5.82-5.33	-	6	1	940	3	F	-	50
	1.5kW	50	380-415	3.37-3.08	-	6	1	940	3	F	-	50
<b>T100L2-2</b>	4kW	50	380-415	7.75-7.10	-	2	1	2910	3	F	-	50
	4kW	50	660-720	4.46-4.09	-	2	1	2910	3	F	-	50
<b>T100L2-4</b>	3kW	50	220-240	11.22-10.29	-	4	1	1430	3	F	-	50
	3kW	50	380-415	6.5-5.95	-	4	1	1430	3	F	-	50
<b>T100L2-6</b>	2.2kW	50	220-240	8.56-7.85	-	6	1	940	3	F	-	50
	2.2kW	50	380-415	4.96-4.54	-	6	1	940	3	F	-	50
<b>T100L3-4</b>	4kW	50	380-415	8.68-7.95	-	4	1	1435	3	F	-	50
	4kW	50	660-720	5-4.58	-	4	1	1435	3	F	-	50
<b>T112L-2</b>	5.5kW	50	380-415	10.53-9.64	-	2	1	2905	3	F	-	50
	5.5kW	50	660-720	6.06-5.56	-	2	1	2905	3	F	-	50
<b>T112L-4</b>	5.5kW	50	380-415	11.37-10.41	-	4	1	1430	3	F	-	50
	5.5kW	50	660-720	6.55-6.00	-	4	1	1430	3	F	-	50
<b>T112L-6</b>	3kW	50	220-240	11.08-10.16	-	6	1	940	3	F	-	50
	3kW	50	380-415	6.42-5.87	-	6	1	940	3	F	-	50
<b>T112M-4</b>	4kW	50	380-415	8.68-7.95	-	4	1	1435	3	F	-	50

	4kW	50	660-720	5-4.58	-	4	1	1435	3	F	-	50
<b>T112M-6</b>	2.2kW	50	220-240	8.56-7.85	-	6	1	940	3	F	-	50
	2.2kW	50	380-415	4.96-4.54	-	6	1	940	3	F	-	50
<b>T112M1-2</b>	4kW	50	380-415	7.75-7.10	-	2	1	2910	3	F	-	50
	4kW	50	660-720	4.46-4.09	-	2	1	2910	3	F	-	50
<b>T132L-6</b>	7.5kW	50	380-415	15.23-13.94	-	6	1	955	3	F	-	50
	7.5kW	50	660-720	8.77-8.04	-	6	1	955	3	F	-	50
<b>T132L1-4</b>	9.2kW	50	380-415	18.6-17.1	-	4	1	1430	3	F	-	50
	9.2kW	50	660-720	10.7-9.8	-	4	1	1430	3	F	-	50
<b>T132L2-4</b>	11kW	50	380-415	20.09-18.40	-	4	1	1440	3	F	-	50
	11kW	50	660-720	11.57-10.61	-	4	1	1440	3	F	-	50
<b>T132M-4</b>	7.5kW	50	380-415	15.19-13.91	-	4	1	1430	3	F	-	50
	7.5kW	50	660-720	8.74-8.02	-	4	1	1430	3	F	-	50
<b>T132M1-2</b>	9.2kW	50	380-415	17.63-16.14	-	2	1	2910	3	F	-	50
	9.2kW	50	660-720	10.15-9.3	-	2	1	2910	3	F	-	50
<b>T132M1-6</b>	4kW	50	380-415	8.34-7.63	-	6	1	945	3	F	-	50
	4kW	50	660-720	4.8-4.4	-	6	1	945	3	F	-	50
<b>T132M2-2</b>	11kW	50	380-415	20.36-18.64	-	2	1	2920	3	F	-	50
	11kW	50	660-720	11.72-10.75	-	2	1	2920	3	F	-	50
<b>T132M2-6</b>	5.5kW	50	380-415	11.58-10.60	-	6	1	945	3	F	-	50
	5.5kW	50	660-720	6.67-6.11	-	6	1	945	3	F	-	50
<b>T132M3-2</b>	15kW	50	380-415	27.25-24.95	-	2	1	2918	3	F	-	50
	15kW	50	660-720	15.69-14.38	-	2	1	2918	3	F	-	50
<b>T132S-4</b>	5.5kW	50	380-415	11.37-10.41	-	4	1	1430	3	F	-	50
	5.5kW	50	660-720	6.55-6.00	-	4	1	1430	3	F	-	50
<b>T132S-6</b>	3kW	50	220-240	11.08-10.16	-	6	1	940	3	F	-	50
	3kW	50	380-415	6.42-5.87	-	6	1	940	3	F	-	50
<b>T132S1-2</b>	5.5kW	50	380-415	10.53-9.64	-	2	1	2905	3	F	-	50
	5.5kW	50	660-720	6.06-5.56	-	2	1	2905	3	F	-	50
<b>T132S2-2</b>	7.5kW	50	380-415	14.37-13.16	-	2	1	2910	3	F	-	50
	7.5kW	50	660-720	8.27-7.59	-	2	1	2910	3	F	-	50
<b>T160L1-2</b>	18.5kW	50	380-415	33.06-	-	2	1	2922	3	F	-	50

				30.28									
	18.5kW	50	660-720	19.04-17.45	-	2	1	2922	3	F	-	50	
<b>T160L1-4</b>	15kW	50	380-415	26.90-24.63	-	4	1	1445	3	F	-	50	
	15kW	50	660-720	15.49-14.2	-	4	1	1445	3	F	-	50	
<b>T160L1-6</b>	11kW	50	380-415	21.77-19.94	-	6	1	960	3	F	-	50	
	11kW	50	660-720	12.54-11.49	-	6	1	960	3	F	-	50	
<b>T160L2-2</b>	22kW	50	380-415	40.51-37.10	-	2	1	2930	3	F	-	50	
	22kW	50	660-720	23.33-21.38	-	2	1	2930	3	F	-	50	
<b>T160L2-4</b>	18.5kW	50	380-415	35.30-32.32	-	4	1	1445	3	F	-	50	
	18.5kW	50	660-720	20.32-18.63	-	4	1	1445	3	F	-	50	
<b>T160L2-6</b>	15kW	50	380-415	30.11-27.57	-	6	1	960	3	F	-	50	
	15kW	50	660-720	17.33-15.89	-	6	1	960	3	F	-	50	
<b>T160M-4</b>	11kW	50	380-415	20.09-18.40	-	4	1	1440	3	F	-	50	
	11kW	50	660-720	11.57-10.61	-	4	1	1440	3	F	-	50	
<b>T160M-6</b>	7.5kW	50	380-415	15.23-13.94	-	6	1	955	3	F	-	50	
	7.5kW	50	660-720	8.77-8.04	-	6	1	955	3	F	-	50	
<b>T160M1-2</b>	11kW	50	380-415	20.36-18.64	-	2	1	2920	3	F	-	50	
	11kW	50	660-720	11.72-10.75	-	2	1	2920	3	F	-	50	
<b>T160M2-2</b>	15kW	50	380-415	27.25-24.95	-	2	1	2918	3	F	-	50	
	15kW	50	660-720	15.69-14.38	-	2	1	2918	3	F	-	50	
<b>T180L-2</b>	30kW	50	380-415	54.89-50.26	-	2	1	2925	3	F	-	50	
	30kW	50	660-720	31.6-28.97	-	2	1	2925	3	F	-	50	
<b>T180L1-4</b>	22kW	50	380-415	40.38-36.98	-	4	1	1460	3	F	-	50	
	22kW	50	660-720	23.25-21.31	-	4	1	1460	3	F	-	50	
<b>T180L1-6</b>	15kW	50	380-415	30.11-27.57	-	6	1	960	3	F	-	50	
	15kW	50	660-720	17.33-15.89	-	6	1	960	3	F	-	50	
<b>T180L2-4</b>	30kW	50	380-415	58.67-53.72	-	4	1	1460	3	F	-	50	
	30kW	50	660-720	33.78-30.97	-	4	1	1460	3	F	-	50	
<b>T180L2-6</b>	18.5kW	50	380-415	36.06-33.02	-	6	1	965	3	F	-	50	
	18.5kW	50	660-720	20.76-19.03	-	6	1	965	3	F	-	50	
<b>T180M-2</b>	22kW	50	380-415	40.51-37.10	-	2	1	2930	3	F	-	50	

	22kW	50	660-720	23.33-21.38	-	2	1	2930	3	F	-	50
<b>T180M-4</b>	18.5kW	50	380-415	35.30-32.32	-	4	1	1445	3	F	-	50
	18.5kW	50	660-720	20.32-18.63	-	4	1	1445	3	F	-	50
<b>T200L1-2</b>	30kW	50	380-415	54.89-50.26	-	2	1	2925	3	F	-	50
	30kW	50	660-720	31.6-28.97	-	2	1	2925	3	F	-	50
<b>T200L1-4</b>	30kW	50	380-415	58.67-53.72	-	4	1	1460	3	F	-	50
	30kW	50	660-720	33.78-30.97	-	4	1	1460	3	F	-	50
<b>T200L1-6</b>	18.5kW	50	380-415	36.06-33.02	-	6	1	965	3	F	-	50
	18.5kW	50	660-720	20.76-19.03	-	6	1	965	3	F	-	50
<b>T200L2-2</b>	37kW	50	380-415	66.66-61.04	-	2	1	2930	3	F	-	50
	37kW	50	660-720	38.38-35.18	-	2	1	2930	3	F	-	50
<b>T200L2-4</b>	37kW	50	380-415	68.03-62.29	-	4	1	1470	3	F	-	50
	37kW	50	660-720	39.17-35.91	-	4	1	1470	3	F	-	50
<b>T200L2-6</b>	22kW	50	380-415	42.15-38.60	-	6	1	965	3	F	-	50
	22kW	50	660-720	24.27-22.25	-	6	1	965	3	F	-	50
<b>T200L3-2</b>	45kW	50	380-415	82.65-75.68	-	2	1	2930	3	F	-	50
	45kW	50	660-720	47.59-43.62	-	2	1	2930	3	F	-	50
<b>T200L3-6</b>	30kW	50	380-415	57.72-52.85	-	6	1	965	3	F	-	50
	30kW	50	660-720	33.23-30.46	-	6	1	965	3	F	-	50
<b>T225M-2</b>	45kW	50	380-415	82.65-75.68	-	2	1	2930	3	F	-	50
	45kW	50	660-720	47.59-43.62	-	2	1	2930	3	F	-	50
<b>T225M-4</b>	45kW	50	380-415	82.48-75.52	-	4	1	1480	3	F	-	50
	45kW	50	660-720	47.49-43.52	-	4	1	1480	3	F	-	50
<b>T225M1-6</b>	30kW	50	380-415	57.72-52.85	-	6	1	975	3	F	-	50
	30kW	50	660-720	33.23-30.46	-	6	1	975	3	F	-	50
<b>T225M2-2</b>	55kW	50	380-415	100.70-92.21	-	2	1	2940	3	F	-	50
	55kW	50	660-720	57.98-53.15	-	2	1	2940	3	F	-	50
<b>T225M2-4</b>	55kW	50	380-415	100.38-91.91	-	4	1	1480	3	F	-	50
	55kW	50	660-720	57.79-52.98	-	4	1	1480	3	F	-	50
<b>T225M2-6</b>	37kW	50	380-415	72.59-66.47	-	6	1	975	3	F	-	50
	37kW	50	660-720	41.8-38.31	-	6	1	975	3	F	-	50

<b>T225S-4</b>	37kW	50	380-415	68.03-62.29	-	4	1	1470	3	F	-	50
	37kW	50	660-720	39.17-35.91	-	4	1	1470	3	F	-	50
<b>T250M1-2</b>	55kW	50	380-415	100.70-92.21	-	2	1	2940	3	F	-	50
	55kW	50	660-720	57.98-53.15	-	2	1	2940	3	F	-	50
<b>T250M1-4</b>	55kW	50	380-415	100.38-91.91	-	4	1	1480	3	F	-	50
	55kW	50	660-720	57.79-52.98	-	4	1	1480	3	F	-	50
<b>T250M1-6</b>	37kW	50	380-415	72.59-66.47	-	6	1	975	3	F	-	50
	37kW	50	660-720	41.8-38.31	-	6	1	975	3	F	-	50
<b>T250M2-2</b>	75kW	50	380-415	130.79-119.76	-	2	1	2940	3	F	-	50
	75kW	50	660-720	75.3-69.03	-	2	1	2940	3	F	-	50
<b>T250M2-4</b>	75kW	50	380-415	131.81-120.69	-	4	1	1480	3	F	-	50
	75kW	50	660-720	75.89-69.57	-	4	1	1480	3	F	-	50
<b>T250M2-6</b>	45kW	50	380-415	84.85-77.69	-	6	1	980	3	F	-	50
	45kW	50	660-720	48.85-44.78	-	6	1	980	3	F	-	50
<b>T280M-2</b>	90kW	50	380-415	156.45-143.26	-	2	1	2940	3	F	-	50
	90kW	50	660-720	90.08-82.57	-	2	1	2940	3	F	-	50
<b>T280M-4</b>	90kW	50	380-415	156.13-142.96	-	4	1	1480	3	F	-	50
	90kW	50	660-720	89.89-82.4	-	4	1	1480	3	F	-	50
<b>T280M-6</b>	55kW	50	380-415	103.26-94.55	-	6	1	980	3	F	-	50
	55kW	50	660-720	59.45-54.5	-	6	1	980	3	F	-	50
<b>T280M2-2</b>	110kW	50	380-415	195.06-178.61	-	2	1	2940	3	F	-	50
	110kW	50	660-720	112.31-102.95	-	2	1	2940	3	F	-	50
<b>T280M2-4</b>	110kW	50	380-415	194.65-178.24	-	4	1	1480	3	F	-	50
	110kW	50	660-720	112.07-102.73	-	4	1	1480	3	F	-	50
<b>T280M2-6</b>	75kW	50	380-415	135.34-123.93	-	6	1	980	3	F	-	50
	75kW	50	660-720	77.92-71.43	-	6	1	980	3	F	-	50
<b>T280S-2</b>	75kW	50	380-415	130.79-119.76	-	2	1	2940	3	F	-	50
	75kW	50	660-720	75.3-69.03	-	2	1	2940	3	F	-	50
<b>T280S-4</b>	75kW	50	380-415	131.81-120.69	-	4	1	1480	3	F	-	50
	75kW	50	660-720	75.89-69.57	-	4	1	1480	3	F	-	50
<b>T280S-6</b>	45kW	50	380-415	84.85-	-	6	1	980	3	F	-	50

				77.69									
	45kW	50	660-720	48.85-44.78	-	6	1	980	3	F	-	50	
<b>T315L1-2</b>	160kW	50	380-415	281.95-258.17	-	2	1	2945	3	F	-	50	
	160kW	50	660-720	162.33-148.81	-	2	1	2945	3	F	-	50	
<b>T315L1-4</b>	160kW	50	380-415	278.85-255.33	-	4	1	1480	3	F	-	50	
	160kW	50	660-720	160.55-147.17	-	4	1	1480	3	F	-	50	
<b>T315L1-6</b>	110kW	50	380-415	195.27-178.80	-	6	1	980	3	F	-	50	
	110kW	50	660-720	112.43-103.06	-	6	1	980	3	F	-	50	
<b>T315L2-2</b>	200kW	50	380-415	356.39-326.34	-	2	1	2945	3	F	-	50	
	200kW	50	660-720	205.2-188.1	-	2	1	2945	3	F	-	50	
<b>T315L2-4</b>	200kW	50	380-415	351.70-322.04	-	4	1	1480	3	F	-	50	
	200kW	50	660-720	202.49-185.62	-	4	1	1480	3	F	-	50	
<b>T315L2-6</b>	132kW	50	380-415	236.21-216.29	-	6	1	980	3	F	-	50	
	132kW	50	660-720	136-124.66	-	6	1	980	3	F	-	50	
<b>T315M-2</b>	132kW	50	380-415	231.01-211.53	-	2	1	2940	3	F	-	50	
	132kW	50	660-720	133.01-121.92	-	2	1	2940	3	F	-	50	
<b>T315M-4</b>	132kW	50	380-415	230.53-211.09	-	4	1	1480	3	F	-	50	
	132kW	50	660-720	132.73-121.67	-	4	1	1480	3	F	-	50	
<b>T315M-6</b>	90kW	50	380-415	160.10-146.60	-	6	1	980	3	F	-	50	
	90kW	50	660-720	92.18-84.5	-	6	1	980	3	F	-	50	
<b>T315S-2</b>	110kW	50	380-415	195.06-178.61	-	2	1	2940	3	F	-	50	
	110kW	50	660-720	112.31-102.95	-	2	1	2940	3	F	-	50	
<b>T315S-4</b>	110kW	50	380-415	194.65-178.24	-	4	1	1480	3	F	-	50	
	110kW	50	660	112.07-102.73	-	4	1	1480	3	F	-	50	
<b>T315S-6</b>	75kW	50	380-415	135.34-123.93	-	6	1	980	3	F	-	50	
	75kW	50	660-720	77.92-71.43	-	6	1	980	3	F	-	50	
<b>T355L1-2</b>	280kW	50	380-415	493.4-451.7	-	2	1	2945	3	F	-	50	
	280kW	50	660-720	284.1-260.4	-	2	1	2945	3	F	-	50	
<b>T355L1-4</b>	280kW	50	380-415	497.91-455.92	-	4	1	1480	3	F	-	50	
	280kW	50	660-720	286.68-262.79	-	4	1	1480	3	F	-	50	
<b>T355L1-6</b>	220kW	50	380-415	387.68-354.98	-	6	1	980	3	F	-	50	

	220kW	50	660-720	223.21-204.61	-	6	1	980	3	F	-	50
<b>T355L2-2</b>	315kW	50	380-415	561.32-513.98	-	2	1	2945	3	F	-	50
	315kW	50	660-720	323.18-296.25	-	2	1	2945	3	F	-	50
<b>T355L2-4</b>	315kW	50	380-415	553.93-507.21	-	4	1	1480	3	F	-	50
	315kW	50	660-720	318.93-292.35	-	4	1	1480	3	F	-	50
<b>T355L2-6</b>	250kW	50	380-415	445.49-407.92	-	6	1	980	3	F	-	50
	250kW	50	660-720	256.5-235.12	-	6	1	980	3	F	-	50
<b>T355L3-4</b>	355kW	50	380-415	624.2-571.6	-	4	1	1480	3	F	-	50
	355kW	50	660-720	359.4-329.5	-	4	1	1480	3	F	-	50
<b>T355M-2</b>	200kW	50	380-415	356.39-326.34	-	2	1	2945	3	F	-	50
	200kW	50	660-720	205.2-188.1	-	2	1	2945	3	F	-	50
<b>T355M1-2</b>	220kW	50	380-415	387.68-354.98	-	2	1	2945	3	F	-	50
	220kW	50	660-720	223.21-204.61	-	2	1	2945	3	F	-	50
<b>T355M1-4</b>	220kW	50	380-415	391.22-358.22	-	4	1	1480	3	F	-	50
	220kW	50	660-720	225.25-206.48	-	4	1	1480	3	F	-	50
<b>T355M1-6</b>	160kW	50	380-415	279.43-255.87	-	6	1	980	3	F	-	50
	160kW	50	660-720	160.89-147.48	-	6	1	980	3	F	-	50
<b>T355M2-2</b>	250kW	50	380-415	440.54-403.39	-	2	1	2945	3	F	-	50
	250kW	50	660-720	253.65-232.51	-	2	1	2945	3	F	-	50
<b>T355M2-4</b>	250kW	50	380-415	444.56-407.07	-	4	1	1480	3	F	-	50
	250kW	50	660-720	255.96-234.63	-	4	1	1480	3	F	-	50
<b>T355M2-6</b>	185kW	50	380-415	323.09-295.84	-	6	1	980	3	F	-	50
	185kW	50	660-720	186.02-170.52	-	6	1	980	3	F	-	50
<b>T355M3-6</b>	200kW	50	380-415	352.43-322.71	-	6	1	980	3	F	-	50
	200kW	50	660-720	202.92-186.01	-	6	1	980	3	F	-	50
<b>T801-2</b>	0.75kW	50	220-240	3.25-2.98	-	2	1	2848	3	F	-	50
	0.75kW	50	380-415	1.88-1.72	-	2	1	2848	3	F	-	50
<b>T802-2</b>	1.1kW	50	220-240	4.42-4.05	-	2	1	2846	3	F	-	50
	1.1kW	50	380-415	2.56-2.34	-	2	1	2846	3	F	-	50
<b>T802-4</b>	0.75kW	50	220-240	3.14-2.88	-	4	1	1420	3	F	-	50
	0.75kW	50	380-415	1.82-1.66	-	4	1	1420	3	F	-	50

<b>T803-2</b>	1.5kW	50	220-240	5.57-5.10	-	2	1	2852	3	F	-	50
	1.5kW	50	380-415	3.22-2.95	-	2	1	2852	3	F	-	50
<b>T803-4</b>	1.1kW	50	220-240	4.40-4.03	-	4	1	1425	3	F	-	50
	1.1kW	50	380-415	2.55-2.33	-	4	1	1425	3	F	-	50
<b>T803-6</b>	0.75kW	50	220-240	3.28-3.01	-	6	1	935	3	F	-	50
	0.75kW	50	380-415	1.9-1.74	-	6	1	935	3	F	-	50
<b>T90L1-2</b>	2.2kW	50	220-240	8.0-7.33	-	2	1	2845	3	F	-	50
	2.2kW	50	380-415	4.63-4.24	-	2	1	2845	3	F	-	50
<b>T90L1-4</b>	1.5kW	50	220-240	5.84-5.35	-	4	1	1420	3	F	-	50
	1.5kW	50	380-415	3.38-3.1	-	4	1	1420	3	F	-	50
<b>T90L1-6</b>	1.1kW	50	220-240	4.45-4.08	-	6	1	935	3	F	-	50
	1.1kW	50	380-415	2.58-2.36	-	6	1	935	3	F	-	50
<b>T90L2-2</b>	3kW	50	220-240	10.16-9.31	-	2	1	2851	3	F	-	50
	3kW	50	380-415	5.88-5.38	-	2	1	2851	3	F	-	50
<b>T90L2-4</b>	2.2kW	50	220-240	8.12-7.44	-	4	1	1430	3	F	-	50
	2.2kW	50	380-415	4.7-4.31	-	4	1	1430	3	F	-	50
<b>T90L2-6</b>	1.5kW	50	220-240	5.82-5.33	-	6	1	940	3	F	-	50
	1.5kW	50	380	3.37-3.08	-	6	1	940	3	F	-	50
<b>T90S-2</b>	1.5kW	50	220-240	5.57-5.10	-	2	1	2852	3	F	-	50
	1.5kW	50	380-415	3.22-2.95	-	2	1	2852	3	F	-	50
<b>T90S-4</b>	1.1kW	50	220-240	4.40-4.03	-	4	1	1425	3	F	-	50
	1.1kW	50	380-415	2.55-2.33	-	4	1	1425	3	F	-	50
<b>T90S-6</b>	0.75kW	50	220-240	3.28-3.01	-	6	1	935	3	F	-	50
	0.75kW	50	380-415	1.9-1.74	-	6	1	935	3	F	-	50
<b>TDC254T15U2B</b>	15hp	60	208-230	39.3-35.6	1.15	2	1	3540	3	F	-	50
	15hp	60	460	17.8	1.15	2	1	3540	3	F	-	50
	15hp	60	380-400	18	1.15	2	1	3540	3	F	-	50
	15hp	50	380-415	19.7	1.15	2	1	2920	3	F	-	50
	15hp	60	575	14.2	1.15	2	1	3540	3	F	-	50
<b>TDC254T15U4B</b>	15hp	60	208~230	41.5-37.5	1.15	4	1	1760	3	F	-	50
	15hp	60	460	18.7	1.15	4	1	1760	3	F	-	50
	15hp	60	380-400	16.8	1.15	4	1	1760	3	F	-	50
	15hp	50	380-415	18.4	1.15	4	1	1440	3	F	-	50



	15hp	60	575	15	1.15	4	1	1760	3	F	-	50
<b>TDC254T7.5U6B</b>	7.5hp	60	208-230	23.4-21.2	1.15	6	1	1170	3	F	-	50
	7.5hp	60	460	10.6	1.15	6	1	1170	3	F	-	50
	7.5hp	60	380-400	9.67	1.15	6	1	1170	3	F	-	50
	7.5hp	50	380-415	10.6	1.15	6	1	955	3	F	-	50
	7.5hp	60	575	8.5	1.15	6	1	1170	3	F	-	50
<b>TDC256T10U6B</b>	10hp	60	208-230	29.9-27.0	1.15	6	1	1170	3	F	-	50
	10hp	60	460	13.5	1.15	6	1	1170	3	F	-	50
	10hp	60	380-400	12.7	1.15	6	1	1170	3	F	-	50
	10hp	50	380-415	13.9	1.15	6	1	960	3	F	-	50
	10hp	60	575	10.8	1.15	6	1	1170	3	F	-	50
<b>TDC256T20U2B</b>	20hp	60	208-230	51.4-46.5	1.15	2	1	3530	3	F	-	50
	20hp	60	460	23.2	1.15	2	1	3530	3	F	-	50
	20hp	60	380-400	23.6	1.15	2	1	3530	3	F	-	50
	20hp	50	380-415	25.9	1.15	2	1	2920	3	F	-	50
	20hp	60	575	18.6	1.15	2	1	3530	3	F	-	50
<b>TDC256T20U4B</b>	20hp	60	208-230	53.9-48.8	1.15	4	1	1760	3	F	-	50
	20hp	60	460	24.4	1.15	4	1	1760	3	F	-	50
	20hp	60	380-400	22.5	1.15	4	1	-	3	F	-	50
	20hp	50	380-415	24.6	1.15	4	1	1445	3	F	-	50
	20hp	60	575	19.5	1.15	4	1	1760	3	F	-	50
<b>TDC284T15U6B</b>	15hp	60	208-230	42.6-38.5	1.15	6	1	1175	3	F	-	50
	15hp	60	460	19.2	1.15	6	1	1175	3	F	-	50
	15hp	60	380-400	18.2	1.15	6	1	1175	3	F	-	50
	15hp	50	380-415	19.9	1.15	6	1	960	3	F	-	50
	15hp	60	575	15.4	1.15	6	1	1175	3	F	-	50
<b>TDC284T25U4B</b>	25hp	60	208-230	65.4-59.2	1.15	4	1	1770	3	F	-	50
	25hp	60	460	29.6	1.15	4	1	1770	3	F	-	50
	25hp	60	380-400	29.5	1.15	4	1	1770	3	F	-	50
	25hp	50	380-415	32.3	1.15	4	1	1450	3	F	-	50
	25hp	60	575	23.7	1.15	4	1	1770	3	F	-	50
<b>TDC284TS25U2B</b>	25hp	60	208-230	63.8-57.7	1.15	2	1	3550	3	F	-	50
	25hp	60	460	28.8	1.15	2	1	3550	3	F	-	50
	25hp	60	380-400	29.5	1.15	2	1	3550	3	F	-	50
	25hp	50	380-415	31.9	1.15	2	1	2930	3	F	-	50
	25hp	60	575	23.1	1.15	2	1	3550	3	F	-	50
<b>TDC286T20U6B</b>	20hp	60	208-230	56.3-50.9	1.15	6	1	1175	3	F	-	50
	20hp	60	460	25.5	1.15	6	1	1175	3	F	-	50
	20hp	60	380-400	25.2	1.15	6	1	1175	3	F	-	50
	20hp	50	380-415	27.6	1.15	6	1	965	3	F	-	50
	20hp	60	575	20.4	1.15	6	1	1175	3	F	-	50
<b>TDC286T30U4B</b>	30hp	60	208-230	78.1-70.6	1.15	4	1	1770	3	F	-	50

	30hp	60	460	35.3	1.15	4	1	1770	3	F	-	50
	30hp	60	380-400	33.7	1.15	4	1	1770	3	F	-	50
	30hp	50	380-415	36.9	1.15	4	1	1460	3	F	-	50
	30hp	60	575	28.2	1.15	4	1	1770	3	F	-	50
<b>TDC286TS30U2B</b>	30hp	60	208-230	75.7-68.4	1.15	2	1	3550	3	F	-	50
	30hp	60	460	34.2	1.15	2	1	3550	3	F	-	50
	30hp	60	380-400	35.4	1.15	2	1	3550	3	F	-	50
	30hp	50	380-415	38.8	1.15	2	1	2930	3	F	-	50
	30hp	60	575	27.4	1.15	2	1	3550	3	F	-	50
<b>TDC286TS40U2B</b>	40hp	60	208-230	101.3-91.6	1.15	2	1	3560	3	F	-	50
	40hp	60	460	45.8	1.15	2	1	3560	3	F	-	50
	40hp	60	380-400	46.1	1.15	2	1	3560	3	F	-	50
	40hp	50	380-415	50.5	1.15	2	1	2925	3	F	-	50
	40hp	60	575	36.6	1.15	2	1	3560	3	F	-	50
<b>TDC324T25U6B</b>	25hp	60	208-230	69.1-62.5	1.15	6	1	1180	3	F	-	50
	25hp	60	460	31.2	1.15	6	1	1180	3	F	-	50
	25hp	60	380-400	30.1	1.15	6	1	1180	3	F	-	50
	25hp	50	380-415	33	1.15	6	1	965	3	F	-	50
	25hp	60	575	25	1.15	6	1	1180	3	F	-	50
<b>TDC324T40U4B</b>	40hp	60	208-230	102.9-93.1	1.15	4	1	1770	3	F	-	50
	40hp	60	460	46.5	1.15	4	1	1770	3	F	-	50
	40hp	60	380-400	49	1.15	4	1	1770	3	F	-	50
	40hp	50	380-415	53.7	1.15	4	1	1460	3	F	-	50
	40hp	60	575	37.2	1.15	4	1	1770	3	F	-	50
<b>TDC324TS40U2B</b>	40hp	60	208-230	101.3-91.6	1.15	2	1	3560	3	F	-	50
	40hp	60	460	45.8	1.15	2	1	3560	3	F	-	50
	40hp	60	380-400	46.2	1.15	2	1	3560	3	F	-	50
	40hp	50	380-415	50.6	1.15	2	1	2930	3	F	-	50
	40hp	60	575	36.6	1.15	2	1	3560	3	F	-	50
<b>TDC324TS50U2B</b>	50hp	60	208-230	124.4-112.5	1.15	2	1	3560	3	F	-	50
	50hp	60	460	56.2	1.15	2	1	3560	3	F	-	50
	50hp	60	380-400	56	1.15	2	1	3560	3	F	-	50
	50hp	50	380-415	61.3	1.15	2	1	2930	3	F	-	50
	50hp	60	575	45	1.15	2	1	3560	3	F	-	50
<b>TDC326T30U6B</b>	30hp	60	208-230	81.4-73.6	1.15	6	1	1180	3	F	-	50
	30hp	60	460	36.8	1.15	6	1	1180	3	F	-	50
	30hp	60	380-400	35.2	1.15	6	1	1180	3	F	-	50
	30hp	50	380-415	38.6	1.15	6	1	975	3	F	-	50
	30hp	60	575	29.4	1.15	6	1	1180	3	F	-	50
<b>TDC326T50U4B</b>	50hp	60	208-230	126.6-114.5	1.15	4	1	1770	3	F	-	50
	50hp	60	460	57.2	1.15	4	1	1770	3	F	-	50
	50hp	60	380-400	56.8	1.15	4	1	1770	3	F	-	50
	50hp	50	380-415	62.3	1.15	4	1	1470	3	F	-	50

	50hp	60	575	45.8	1.15	4	1	1770	3	F	-	50
<b>TDC326TS50U2B</b>	50hp	60	208-230	124.4-112.5	1.15	2	1	3560	3	F	-	50
	50hp	60	460	56.2	1.15	2	1	3560	3	F	-	50
	50hp	60	380-400	57.5	1.15	2	1	3560	3	F	-	50
	50hp	50	380-415	63	1.15	2	1	2930	3	F	-	50
	50hp	60	575	45	1.15	2	1	3560	3	F	-	50
<b>TDC326TS60U2B</b>	60hp	60	208-230	149.9-135.6	1.15	2	1	3560	3	F	-	50
	60hp	60	460	67.8	1.15	2	1	3560	3	F	-	50
	60hp	60	380-400	69.2	1.15	2	1	3560	3	F	-	50
	60hp	50	380-415	75.8	1.15	2	1	2935	3	F	-	50
	60hp	60	575	54.2	1.15	2	1	3560	3	F	-	50
<b>TDC364T40U6B</b>	40hp	60	208-230	105.4-95.3	1.15	6	1	1180	3	F	-	50
	40hp	60	460	47.6	1.15	6	1	1180	3	F	-	50
	40hp	60	380-400	48.2	1.15	6	1	1180	3	F	-	50
	40hp	50	380-415	52.8	1.15	6	1	975	3	F	-	50
	40hp	60	575	38.1	1.15	6	1	1180	3	F	-	50
<b>TDC364T60U4B</b>	60hp	60	208-230	152.9-138.3	1.15	4	1	1775	3	F	-	50
	60hp	60	460	69.1	1.15	4	1	1775	3	F	-	50
	60hp	60	380-400	68.9	1.15	4	1	1775	3	F	-	50
	60hp	50	380-415	75.5	1.15	4	1	1480	3	F	-	50
	60hp	60	575	55.3	1.15	4	1	1775	3	F	-	50
<b>TDC364TS60U2B</b>	60hp	60	208~230	149.9-135.6	1.15	2	1	3560	3	F	-	50
	60hp	60	460	67.8	1.15	2	1	3560	3	F	-	50
	60hp	60	380-400	68.8	1.15	2	1	3560	3	F	-	50
	60hp	50	380-415	75.4	1.15	2	1	2930	3	F	-	50
	60hp	60	575	54.2	1.15	2	1	3560	3	F	-	50
<b>TDC364TS75U2B</b>	75hp	60	208-230	185.4-167.6	1.15	2	1	3560	3	F	-	50
	75hp	60	460	83.8	1.15	2	1	3560	3	F	-	50
	75hp	60	380-400	84.2	1.15	2	1	3560	3	F	-	50
	75hp	50	380-415	92.2	1.15	2	1	2940	3	F	-	50
	75hp	60	575	67	1.15	2	1	3560	3	F	-	50
<b>TDC365T50U6B</b>	50hp	60	208-230	131.7-119.1	1.15	6	1	1180	3	F	-	50
	50hp	60	460	59.5	1.15	6	1	1180	3	F	-	50
	50hp	60	380-400	60.7	1.15	6	1	1180	3	F	-	50
	50hp	50	380-415	66.5	1.15	6	1	980	3	F	-	50
	50hp	60	575	47.6	1.15	6	1	1180	3	F	-	50
<b>TDC365T75U4B</b>	75hp	60	208-230	188.9-170.8	1.15	4	1	1775	3	F	-	50
	75hp	60	460	85.4	1.15	4	1	1775	3	F	-	50
	75hp	60	380-400	83.8	1.15	4	1	1775	3	F	-	50
	75hp	50	380-415	91.9	1.15	4	1	1480	3	F	-	50
	75hp	60	575	68.3	1.15	4	1	1775	3	F	-	50
<b>TDC365TS100U2B</b>	100hp	60	208-230	248.8-225	1.15	2	1	3570	3	F	-	50

	100hp	60	460	112.5	1.15	2	1	3570	3	F	-	50
	100hp	60	380-400	109.5	1.15	2	1	3570	3	F	-	50
	100hp	50	380-415	119.8	1.15	2	1	2940	3	F	-	50
	100hp	60	575	89.4	1.15	2	1	3570	3	F	-	50
<b>TDC365TS75U2B</b>	75hp	60	208-230	185.4-167.6	1.15	2	1	3560	3	F	-	50
	75hp	60	460	83.8	1.15	2	1	3560	3	F	-	50
	75hp	60	380-400	84.2	1.15	2	1	3560	3	F	-	50
	75hp	50	380-415	93.6	1.15	2	1	2940	3	F	-	50
	75hp	60	575	67	1.15	2	1	3560	3	F	-	50
<b>TDC404T60U6B</b>	60hp	60	208-230	155.5-140.6	1.15	6	1	1185	3	F	-	50
	60hp	60	460	70.3	1.15	6	1	1185	3	F	-	50
	60hp	60	380-400	70.9	1.15	6	1	1185	3	F	-	50
	60hp	50	380-415	77.7	1.15	6	1	980	3	F	-	50
	60hp	60	575	56.3	1.15	6	1	1185	3	F	-	50
<b>TDC404TS125U2B</b>	125hp	60	380-400	130.9	1.15	2	1	3575	3	F	-	50
	125hp	50	380-415	143.5	1.15	2	1	2940	3	F	-	50
	125hp	60	460	139	1.15	2	1	3575	3	F	-	50
	125hp	60	575	111.2	1.15	2	1	3575	3	F	-	50
<b>TDC405T100U4B</b>	100hp	60	208-230	253.7-229.5	1.15	4	1	1780	3	F	-	50
	100hp	60	460	114.7	1.15	4	1	1780	3	F	-	50
	100hp	60	380-400	110.2	1.15	4	1	1780	3	F	-	50
	100hp	50	380-415	120.7	1.15	4	1	1480	3	F	-	50
	100hp	60	575	91.8	1.15	4	1	1780	3	F	-	50
<b>TDC405T125U4B</b>	125hp	60	380-400	130.4	1.15	4	1	1780	3	F	-	50
	125hp	50	380-415	142.9	1.15	4	1	1480	3	F	-	50
	125hp	60	460	140	1.15	4	1	1780	3	F	-	50
	125hp	60	575	112.2	1.15	4	1	1780	3	F	-	50
<b>TDC405T75U6B</b>	75hp	60	208-230	192.1-173.7	1.15	6	1	1185	3	F	-	50
	75hp	60	460	86.9	1.15	6	1	1185	3	F	-	50
	75hp	60	380-400	86.3	1.15	6	1	1185	3	F	-	50
	75hp	50	380-415	94.5	1.15	6	1	980	3	F	-	50
	75hp	60	575	69.5	1.15	6	1	1185	3	F	-	50
<b>TDC405TS100U2B</b>	100hp	60	208-230	247.1-223.5	1.15	2	1	3570	3	F	-	50
	100hp	60	460	111.7	1.15	2	1	3570	3	F	-	50
	100hp	60	380-400	113.6	1.15	2	1	3570	3	F	-	50
	100hp	50	380-415	124.5	1.15	2	1	2940	3	F	-	50
	100hp	60	575	89.4	1.15	2	1	3570	3	F	-	50
<b>TDC405TS150U2B</b>	150hp	60	380-400	163	1.15	2	1	3575	3	F	-	50
	150hp	50	380-415	178.6	1.15	2	1	2940	3	F	-	50
	150hp	60	460	165	1.15	2	1	3575	3	F	-	50
	150hp	60	575	132	1.15	2	1	3575	3	F	-	50
<b>TDC444T100U6B</b>	100hp	60	208-230	254.8-230.4	1.15	6	1	1180	3	F	-	50
	100hp	60	460	115.2	1.15	6	1	1180	3	F	-	50
	100hp	60	380-400	113.1	1.15	6	1	1180	3	F	-	50

	100hp	50	380-415	123.9	1.15	6	1	980	3	F	-	50
	100hp	60	575	92.2	1.15	6	1	1180	3	F	-	50
<b>TDC444T125U4B</b>	125hp	60	380-400	130.4	1.15	4	1	1780	3	F	-	50
	125hp	50	380-415	142.9	1.15	4	1	1480	3	F	-	50
	125hp	60	460	140.2	1.15	4	1	1780	3	F	-	50
	125hp	60	575	112.2	1.15	4	1	1780	3	F	-	50
<b>TDC444T150U4B</b>	150hp	60	380-400	167	1.15	4	1	1780	3	F	-	50
	150hp	50	380-415	183	1.15	4	1	1480	3	F	-	50
	150hp	60	460	167.5	1.15	4	1	1780	3	F	-	50
	150hp	60	575	134	1.15	4	1	1780	3	F	-	50
<b>TDC444TS125U2B</b>	125hp	60	380-400	141.7	1.15	2	1	3575	3	F	-	50
	125hp	50	380-415	155.3	1.15	2	1	2940	3	F	-	50
	125hp	60	460	139	1.15	2	1	3575	3	F	-	50
	125hp	60	575	111.2	1.15	2	1	3575	3	F	-	50
<b>TDC444TS200U2B</b>	200hp	60	380-400	235.7	1.15	2	1	3575	3	F	-	50
	200hp	50	380-415	258.2	1.15	2	1	2945	3	F	-	50
	200hp	60	460	219.9	1.15	2	1	3575	3	F	-	50
	200hp	60	575	175.9	1.15	2	1	3575	3	F	-	50
<b>TDC445T125U6B</b>	125hp	60	380-400	133.8	1.15	6	1	1180	3	F	-	50
	125hp	50	380-415	146.6	1.15	6	1	980	3	F	-	50
	125hp	60	460	144	1.15	6	1	1180	3	F	-	50
	125hp	60	575	115.2	1.15	6	1	1180	3	F	-	50
<b>TDC445T150U4B</b>	150hp	60	380-400	162.8	1.15	4	1	1780	3	F	-	50
	150hp	50	380-415	178.3	1.15	4	1	1480	3	F	-	50
	150hp	60	460	167.5	1.15	4	1	1780	3	F	-	50
	150hp	60	575	134	1.15	4	1	1780	3	F	-	50
<b>TDC445T200U4B</b>	200hp	60	380-400	233	1.15	4	1	1785	3	F	-	50
	200hp	50	380-415	255.3	1.15	4	1	1480	3	F	-	50
	200hp	60	460	218.9	1.15	4	1	1785	3	F	-	50
	200hp	60	575	175.1	1.15	4	1	1785	3	F	-	50
<b>TDC445TS150U2B</b>	150hp	60	380-400	166.9	1.15	2	1	3575	3	F	-	50
	150hp	50	380-415	182.9	1.15	2	1	2940	3	F	-	50
	150hp	60	460	165	1.15	2	1	3575	3	F	-	50
	150hp	60	575	132	1.15	2	1	3575	3	F	-	50
<b>TDC447T150U6B</b>	150hp	60	380-400	163.2	1.15	6	1	1180	3	F	-	50
	150hp	50	380-415	178.8	1.15	6	1	980	3	F	-	50
	150hp	60	460	156.2	1.15	6	1	1180	3	F	-	50
	150hp	60	575	124.9	1.15	6	1	1180	3	F	-	50
<b>TDC447T200U4B</b>	200hp	60	380-400	220.1	1.15	4	1	1785	3	F	-	50
	200hp	50	380-415	241.1	1.15	4	1	1480	3	F	-	50
	200hp	60	460	218.9	1.15	4	1	1785	3	F	-	50
	200hp	60	575	175.1	1.15	4	1	1785	3	F	-	50
<b>TDC447T250U4B</b>	250hp	60	380-400	294	1.15	4	1	1785	3	F	-	50
	250hp	50	380-415	322.1	1.15	4	1	1480	3	F	-	50
	250hp	60	460	273	1.15	4	1	1785	3	F	-	50
	250hp	60	575	218.4	1.15	4	1	1785	3	F	-	50
<b>TDC447TS200U2B</b>	200hp	60	380-400	235.7	1.15	2	1	3575	3	F	-	50

	200hp	50	380-415	243	1.15	2	1	2940	3	F	-	50
	200hp	60	460	219.9	1.15	2	1	3575	3	F	-	50
	200hp	60	575	175.9	1.15	2	1	3575	3	F	-	50
<b>TDC447TS300U2B</b>	300hp	60	380-400	324	1.15	2	1	3580	3	F	-	50
	300hp	50	380-415	355	1.15	2	1	2945	3	F	-	50
	300hp	60	460	326	1.15	2	1	3580	3	F	-	50
	300hp	60	575	260.8	1.15	2	1	3580	3	F	-	50
<b>TDC447TS350U2B</b>	350hp	60	380-400	412.1	1.15	2	1	3580	3	F	-	50
	350hp	50	380-415	451.5	1.15	2	1	2945	3	F	-	50
	350hp	60	460	388.5	1.15	2	1	3580	3	F	-	50
	350hp	60	575	310.8	1.15	2	1	3580	3	F	-	50
<b>TDC449T200U6B</b>	200hp	60	380-400	225	1.15	6	1	1180	3	F	-	50
	200hp	50	380-415	246.5	1.15	6	1	980	3	F	-	50
	200hp	60	460	195.6	1.15	6	1	1180	3	F	-	50
	200hp	60	575	156.5	1.15	6	1	1180	3	F	-	50
<b>TDC449T250U4B</b>	250hp	60	380-400	294	1.15	4	1	1785	3	F	-	50
	250hp	50	380-415	275.5	1.15	4	1	1480	3	F	-	50
	250hp	60	460	273	1.15	4	1	1785	3	F	-	50
	250hp	60	575	218.4	1.15	4	1	1785	3	F	-	50
<b>TDC449T250U6B</b>	250hp	60	380-400	270	1.15	6	1	1180	3	F	-	50
	250hp	50	380-415	295.8	1.15	6	1	980	3	F	-	50
	250hp	60	460	234.7	1.15	6	1	1180	3	F	-	50
	250hp	60	575	187.8	1.15	6	1	1180	3	F	-	50
<b>TDC449T300U4B</b>	300hp	60	380-400	326.9	1.15	4	1	1785	3	F	-	50
	300hp	50	380-415	358.2	1.15	4	1	1480	3	F	-	50
	300hp	60	460	328.5	1.15	4	1	1785	3	F	-	50
	300hp	60	575	262.8	1.15	4	1	1785	3	F	-	50
<b>TDC449T350U4B</b>	350hp	60	380-400	469.7	1.15	4	1	1785	3	F	-	50
	350hp	50	380-415	514.5	1.15	4	1	1480	3	F	-	50
	350hp	60	460	388	1.15	4	1	1785	3	F	-	50
	350hp	60	575	310.4	1.15	4	1	1785	3	F	-	50
<b>TDC449TS250U2B</b>	250hp	60	380-400	275.6	1.15	2	1	3575	3	F	-	50
	250hp	50	380-415	302	1.15	2	1	2940	3	F	-	50
	250hp	60	460	227.7	1.15	2	1	3575	3	F	-	50
	250hp	60	575	182.2	1.15	2	1	3575	3	F	-	50
<b>TDC449TS300U2B</b>	300hp	60	380-400	324	1.15	2	1	3580	3	F	-	50
	300hp	50	380-415	355	1.15	2	1	2945	3	F	-	50
	300hp	60	460	326	1.15	2	1	3580	3	F	-	50
	300hp	60	575	260.8	1.15	2	1	3580	3	F	-	50
<b>TDC449TS350U2B</b>	350hp	60	380-400	412.1	1.15	2	1	3580	3	F	-	50
	350hp	50	380-415	451.5	1.15	2	1	2945	3	F	-	50
	350hp	60	460	388.5	1.15	2	1	3580	3	F	-	50
	350hp	60	575	310.8	1.15	2	1	3580	3	F	-	50
<b>TDC449TS400U2B</b>	400hp	60	380-400	544.1	1.15	2	1	3580	3	F	-	50
	400hp	50	380-415	596.1	1.15	2	1	2945	3	F	-	50
	400hp	60	460	449.5	1.15	2	1	3580	3	F	-	50
	400hp	60	575	359.6	1.15	2	1	3580	3	F	-	50

<b>TDC504T250U6B</b>	250hp	50	415	295.8	1.15	6	1	980	3	F	-	50
<b>TXA143T1.5U2B</b>	1.5hp	60	208-230	4.20-4.12	1.15	2	1	3500	3	F	-	50
	1.5hp	60	460	2.06	1.15	2	1	3500	3	F	-	50
	1.5hp	60	575	1.64	1.15	2	1	3500	3	F	-	50
<b>TXA143T1U2B</b>	1hp	60	208-230	3.25-3.22	1.15	2	1	3490	3	F	-	50
	1hp	60	460	1.61	1.15	2	1	3490	3	F	-	50
	1hp	60	575	1.29	1.15	2	1	3490	3	F	-	50
<b>TXA143T1U4B</b>	1hp	60	208-230	3.10-2.98	1.15	4	1	1730	3	F	-	50
	1hp	60	460	1.49	1.15	4	1	1730	3	F	-	50
	1hp	60	575	1.19	1.15	4	1	1730	3	F	-	50
<b>TXA145T1.5U4B</b>	1.5hp	60	208-230	4.48-4.36	1.15	4	1	1740	3	F	-	50
	1.5hp	60	460	2.18	1.15	4	1	1740	3	F	-	50
	1.5hp	60	575	1.73	1.15	4	1	1740	3	F	-	50
<b>TXA145T1U6B</b>	1hp	60	208-230	3.36-3.26	1.15	6	1	1145	3	F	-	50
	1hp	60	460	1.63	1.15	6	1	1145	3	F	-	50
	1hp	60	575	1.3	1.15	6	1	1145	3	F	-	50
<b>TXA145T2U2B</b>	2hp	60	208-230	5.58-5.18	1.15	2	1	3500	3	F	-	50
	2hp	60	460	2.59	1.15	2	1	3500	3	F	-	50
	2hp	60	575	2.07	1.15	2	1	3500	3	F	-	50
<b>TXA145T2U4B</b>	2hp	60	208-230	5.95-5.58	1.15	4	1	1740	3	F	-	50
	2hp	60	460	2.79	1.15	4	1	1740	3	F	-	50
	2hp	60	575	2.23	1.15	4	1	1740	3	F	-	50
<b>TXA182T1.5U6B</b>	1.5hp	60	208-230	4.76-4.64	1.15	6	1	1160	3	F	-	50
	1.5hp	60	460	2.32	1.15	6	1	1160	3	F	-	50
	1.5hp	60	575	1.86	1.15	6	1	1160	3	F	-	50
<b>TXA182T3U2B</b>	3hp	60	208-230	7.77-7.18	1.15	2	1	3500	3	F	-	50
	3hp	60	460	3.59	1.15	2	1	3500	3	F	-	50
	3hp	60	575	2.87	1.15	2	1	3500	3	F	-	50
<b>TXA182T3U4B</b>	3hp	60	208-230	8.03-7.62	1.15	4	1	1740	3	F	-	50
	3hp	60	460	3.81	1.15	4	1	1740	3	F	-	50
	3hp	60	575	3.05	1.15	4	1	1740	3	F	-	50
<b>TXA184T2U6B</b>	2hp	60	208-230	6.36-6.26	1.15	6	1	1160	3	F	-	50
	2hp	60	460	3.13	1.15	6	1	1160	3	F	-	50
	2hp	60	575	2.5	1.15	6	1	1160	3	F	-	50
<b>TXA184T5U2B</b>	5hp	60	208-230	12.7-11.5	1.15	2	1	3500	3	F	-	50
	5hp	60	460	5.77	1.15	2	1	3500	3	F	-	50
	5hp	60	575	4.61	1.15	2	1	3500	3	F	-	50
<b>TXA184T5U4B</b>	5hp	60	208-230	13.2-12.4	1.15	4	1	1740	3	F	-	50
	5hp	60	460	6.18	1.15	4	1	1740	3	F	-	50
	5hp	60	575	4.94	1.15	4	1	1740	3	F	-	50

<b>TXA213T3U6B</b>	3hp	60	208-230	9.23-8.58	1.15	6	1	1170	3	F	-	50
	3hp	60	460	4.29	1.15	6	1	1170	3	F	-	50
	3hp	60	575	3.48	1.15	6	1	1170	3	F	-	50
<b>TXA213T7.5U2B</b>	7.5hp	60	208-230	18.7-17.0	1.15	2	1	3510	3	F	-	50
	7.5hp	60	460	8.48	1.15	2	1	3510	3	F	-	50
	7.5hp	60	575	6.78	1.15	2	1	3510	3	F	-	50
<b>TXA213T7.5U4B</b>	7.5hp	60	208-230	19.2-17.7	1.15	4	1	1750	3	F	-	50
	7.5hp	60	460	8.86	1.15	4	1	1750	3	F	-	50
	7.5hp	60	575	7.08	1.15	4	1	1750	3	F	-	50
<b>TXA215T10U2B</b>	10hp	60	208-230	25.8-22.6	1.15	2	1	3510	3	F	-	50
	10hp	60	460	11.3	1.15	2	1	3510	3	F	-	50
	10hp	60	575	9.07	1.15	2	1	3510	3	F	-	50
<b>TXA215T10U4B</b>	10hp	60	208-230	26.3-23.9	1.15	4	1	1750	3	F	-	50
	10hp	60	460	12	1.15	4	1	1750	3	F	-	50
	10hp	60	575	9.55	1.15	4	1	1750	3	F	-	50
<b>TXA215T15U2B</b>	15hp	60	208-230	35.6-33.0	1.15	2	1	3510	3	F	-	50
	15hp	60	460	16.5	1.15	2	1	3510	3	F	-	50
	15hp	60	575	13.2	1.15	2	1	3510	3	F	-	50
<b>TXA215T5U6B</b>	5hp	60	208-230	15.4-14.2	1.15	6	1	1170	3	F	-	50
	5hp	60	460	7.11	1.15	6	1	1170	3	F	-	50
	5hp	60	575	5.69	1.15	6	1	1170	3	F	-	50
<b>TXC143T1.5U2B</b>	1.5hp	60	208-230	4.42-4	1.15	2	1	3450	3	F	-	50
	1.5hp	60	460	2	1.15	2	1	3450	3	F	-	50
	1.5hp	60	380-400	2.42	1.15	2	1	3450	3	F	-	50
	1.5hp	50	380-415	2.65	1.15	2	1	2875	3	F	-	50
	1.5hp	60	575	1.6	1.15	2	1	3450	3	F	-	50
<b>TXC143T1U2B</b>	1hp	60	208-230	3.98-3.6	1.15	2	1	3450	3	F	-	50
	1hp	60	460	1.8	1.15	2	1	3450	3	F	-	50
	1hp	60	380-400	2.17	1.15	2	1	3450	3	F	-	50
	1hp	50	380-415	2.37	1.15	2	1	2875	3	F	-	50
	1hp	60	575	1.44	1.15	2	1	3450	3	F	-	50
<b>TXC143T1U4B</b>	1hp	60	208-230	3.31-3	1.15	4	1	1735	3	F	-	50
	1hp	60	460	1.5	1.15	4	1	1735	3	F	-	50
	1hp	60	380-400	1.8	1.15	4	1	1735	3	F	-	50
	1hp	50	380-415	2.0	1.15	4	1	1445	3	F	-	50
	1hp	60	575	1.2	1.15	4	1	1735	3	F	-	50
<b>TXC145T1.5U4B</b>	1.5hp	60	208-230	4.85-4.4	1.15	4	1	1735	3	F	-	50
	1.5hp	60	460	2.2	1.15	4	1	1735	3	F	-	50
	1.5hp	60	380-400	2.66	1.15	4	1	1735	3	F	-	50
	1.5hp	50	380-415	2.9	1.15	4	1	1445	3	F	-	50
	1.5hp	60	575	1.75	1.15	4	1	1735	3	F	-	50
<b>TXC145T1U6B</b>	1hp	60	208-230	3.98-3.6	1.15	6	1	1150	3	F	-	50



	1hp	60	460	1.8	1.15	6	1	1150	3	F	-	50
	1hp	60	380-400	2.2	1.15	6	1	1150	3	F	-	50
	1hp	50	380-415	2.4	1.15	6	1	958	3	F	-	50
	1hp	60	575	1.44	1.15	6	1	1150	3	F	-	50
<b>TXC145T2U2B</b>	2hp	60	208-230	5.97-5.4	1.15	2	1	3450	3	F	-	50
	2hp	60	460	2.7	1.15	2	1	3450	3	F	-	50
	2hp	60	380-400	3.2	1.15	2	1	3450	3	F	-	50
	2hp	50	380-415	3.5	1.15	2	1	2875	3	F	-	50
	2hp	60	575	2.16	1.15	2	1	3450	3	F	-	50
<b>TXC145T2U4B</b>	2hp	60	208-230	6.63-6	1.15	4	1	1730	3	F	-	50
	2hp	60	460	3	1.15	4	1	1730	3	F	-	50
	2hp	60	380-400	3.63	1.15	4	1	1730	3	F	-	50
	2hp	50	380-415	4.0	1.15	4	1	1440	3	F	-	50
	2hp	60	575	2.4	1.15	4	1	1730	3	F	-	50
<b>TXC182T1.5U6B</b>	1.5hp	60	208-230	4.86-4.4	1.15	6	1	1150	3	F	-	50
	1.5hp	60	460	2.2	1.15	6	1	1150	3	F	-	50
	1.5hp	60	380-400	2.66	1.15	6	1	1150	3	F	-	50
	1.5hp	50	380-415	2.9	1.15	6	1	958	3	F	-	50
	1.5hp	60	575	1.76	1.15	6	1	1150	3	F	-	50
<b>TXC182T3U2B</b>	3hp	60	208-230	8.4-7.6	1.15	2	1	3510	3	F	-	50
	3hp	60	460	3.8	1.15	2	1	3510	3	F	-	50
	3hp	60	380-400	4.6	1.15	2	1	3510	3	F	-	50
	3hp	50	380-415	5.0	1.15	2	1	2925	3	F	-	50
	3hp	60	575	3.04	1.15	2	1	3510	3	F	-	50
<b>TXC182T3U4B</b>	3hp	60	208~230	9.06-8	1.15	4	1	1755	3	F	-	50
	3hp	60	460	4	1.15	4	1	1755	3	F	-	50
	3hp	60	380-400	4.84	1.15	4	1	1755	3	F	-	50
	3hp	50	380-415	5.3	1.15	4	1	1460	3	F	-	50
	3hp	60	575	3.28	1.15	4	1	1755	3	F	-	50
<b>TXC184T2U6B</b>	2hp	60	208-230	6.63-6	1.15	6	1	1150	3	F	-	50
	2hp	60	460	3	1.15	6	1	1150	3	F	-	50
	2hp	60	380-400	3.63	1.15	6	1	1150	3	F	-	50
	2hp	50	380-415	4.0	1.15	6	1	958	3	F	-	50
	2hp	60	575	2.4	1.15	6	1	1150	3	F	-	50
<b>TXC184T5U2B</b>	5hp	60	208-230	13.48-12.2	1.15	2	1	3510	3	F	-	50
	5hp	60	460	6.1	1.15	2	1	3510	3	F	-	50
	5hp	60	380-400	7.38	1.15	2	1	3510	3	F	-	50
	5hp	50	380-415	8.1	1.15	2	1	2925	3	F	-	50
	5hp	60	575	4.88	1.15	2	1	3510	3	F	-	50
<b>TXC184T5U4B</b>	5hp	60	208-230	14.15-12.8	1.15	4	1	1745	3	F	-	50
	5hp	60	460	6.4	1.15	4	1	1745	3	F	-	50
	5hp	60	380-400	7.7	1.15	4	1	1745	3	F	-	50
	5hp	50	380-415	8.4	1.15	4	1	1455	3	F	-	50
	5hp	60	575	5.12	1.15	4	1	1745	3	F	-	50
<b>TXC213T3U6B</b>	3hp	60	208-230	9.28-	1.15	6	1	1170	3	F	-	50

				8.4								
	3hp	60	460	4.2	1.15	6	1	1170	3	F	-	50
	3hp	60	380-400	5.1	1.15	6	1	1170	3	F	-	50
	3hp	50	380-415	5.6	1.15	6	1	975	3	F	-	50
	3hp	60	575	3.36	1.15	6	1	1170	3	F	-	50
<b>TXC213T7.5U2B</b>	7.5hp	60	208-230	19.68-17.8	1.15	2	1	3520	3	F	-	50
	7.5hp	60	460	8.9	1.15	2	1	3520	3	F	-	50
	7.5hp	60	380-400	10.7	1.15	2	1	3520	3	F	-	50
	7.5hp	50	380-415	11.7	1.15	2	1	2930	3	F	-	50
	7.5hp	60	575	7.12	1.15	2	1	3520	3	F	-	50
<b>TXC213T7.5U4B</b>	7.5hp	60	208-230	20.79-18.8	1.15	4	1	1750	3	F	-	50
	7.5hp	60	460	9.4	1.15	4	1	1750	3	F	-	50
	7.5hp	60	380-400	11.4	1.15	4	1	1750	3	F	-	50
	7.5hp	50	380-415	12.5	1.15	4	1	1460	3	F	-	50
	7.5hp	60	575	7.52	1.15	4	1	1750	3	F	-	50
<b>TXC215T10U2B</b>	10hp	60	208-230	25.65-23.2	1.15	2	1	3520	3	F	-	50
	10hp	60	460	11.6	1.15	2	1	3520	3	F	-	50
	10hp	60	380-400	14.1	1.15	2	1	3520	3	F	-	50
	10hp	50	380-415	15.4	1.15	2	1	2930	3	F	-	50
	10hp	60	575	9.28	1.15	2	1	3520	3	F	-	50
<b>TXC215T10U4B</b>	10hp	60	208-230	27.42-24.8	1.15	4	1	1750	3	F	-	50
	10hp	60	460	12.4	1.15	4	1	1750	3	F	-	50
	10hp	60	380-400	15	1.15	4	1	1750	3	F	-	50
	10hp	50	380-415	16.4	1.15	4	1	1460	3	F	-	50
	10hp	60	575	9.92	1.15	4	1	1750	3	F	-	50
<b>TXC215T5U6B</b>	5hp	60	208-230	15.7-14.2	1.15	6	1	1165	3	F	-	50
	5hp	60	460	7.1	1.15	6	1	1165	3	F	-	50
	5hp	60	380-400	8.6	1.15	6	1	1165	3	F	-	50
	5hp	50	380-415	9.4	1.15	6	1	970	3	F	-	50
	5hp	60	575	5.68	1.15	6	1	1165	3	F	-	50
<b>TXC254T15U2B</b>	15hp	60	208-230	38.92-35.2	1.15	2	1	3540	3	F	-	50
	15hp	60	460	17.6	1.15	2	1	3540	3	F	-	50
	15hp	60	380-400	21.3	1.15	2	1	3540	3	F	-	50
	15hp	50	380-415	23.3	1.15	2	1	2950	3	F	-	50
	15hp	60	575	14.08	1.15	2	1	3540	3	F	-	50
<b>TXC254T15U4B</b>	15hp	60	208-230	41.13-37.2	1.15	4	1	1760	3	F	-	50
	15hp	60	460	18.6	1.15	4	1	1760	3	F	-	50
	15hp	60	380-400	22.5	1.15	4	1	1760	3	F	-	50
	15hp	50	380-415	24.6	1.15	4	1	1465	3	F	-	50
	15hp	60	575	14.88	1.15	4	1	1760	3	F	-	50
<b>TXC254T7.5U6B</b>	7.5hp	60	208-230	23.44-21.2	1.15	6	1	1170	3	F	-	50
	7.5hp	60	460	10.6	1.15	6	1	1170	3	F	-	50
	7.5hp	60	380-400	12.8	1.15	6	1	1170	3	F	-	50

	7.5hp	50	380-415	14.0	1.15	6	1	975	3	F	-	50
	7.5hp	60	575	8.48	1.15	6	1	1170	3	F	-	50
<b>TXC256T10U6B</b>	10hp	60	208-230	30.3-27.4	1.15	6	1	1170	3	F	-	50
	10hp	60	460	13.7	1.15	6	1	1170	3	F	-	50
	10hp	60	380-400	16.6	1.15	6	1	1170	3	F	-	50
	10hp	50	380-415	18.2	1.15	6	1	975	3	F	-	50
	10hp	60	575	10.96	1.15	6	1	1170	3	F	-	50
<b>TXC256T20U2B</b>	20hp	60	208-230	51.31-46.4	1.15	2	1	3530	3	F	-	50
	20hp	60	460	23.2	1.15	2	1	3530	3	F	-	50
	20hp	60	380-400	28.1	1.15	2	1	3530	3	F	-	50
	20hp	50	380-415	30.8	1.15	2	1	2940	3	F	-	50
	20hp	60	575	18.56	1.15	2	1	3530	3	F	-	50
<b>TXC256T20U4B</b>	20hp	60	208~230	51.97-47	1.15	4	1	1760	3	F	-	50
	20hp	60	460	23.5	1.15	4	1	1760	3	F	-	50
	20hp	60	380-400	28.4	1.15	4	1	1760	3	F	-	50
	20hp	50	380-415	31.1	1.15	4	1	1465	3	F	-	50
	20hp	60	575	18.8	1.15	4	1	1760	3	F	-	50
<b>TXC284T15U6B</b>	15hp	60	208-230	42.68-38.6	1.15	6	1	1175	3	F	-	50
	15hp	60	460	19.3	1.15	6	1	1175	3	F	-	50
	15hp	60	380-400	23.3	1.15	6	1	1175	3	F	-	50
	15hp	50	380-415	25.5	1.15	6	1	980	3	F	-	50
	15hp	60	575	15.44	1.15	6	1	1175	3	F	-	50
<b>TXC284T25U4B</b>	25hp	60	208-230	65.46-59.2	1.15	4	1	1770	3	F	-	50
	25hp	60	460	29.6	1.15	4	1	1770	3	F	-	50
	25hp	60	380-400	35.8	1.15	4	1	1770	3	F	-	50
	25hp	50	380-415	39.2	1.15	4	1	1475	3	F	-	50
	25hp	60	575	23.68	1.15	4	1	1770	3	F	-	50
<b>TXC284TS25U2B</b>	25hp	60	208-230	63.91-57.8	1.15	2	1	3550	3	F	-	50
	25hp	60	460	28.9	1.15	2	1	3550	3	F	-	50
	25hp	60	380-400	34.9	1.15	2	1	3550	3	F	-	50
	25hp	50	380-415	38.2	1.15	2	1	2955	3	F	-	50
	25hp	60	575	23.12	1.15	2	1	3550	3	F	-	50
<b>TXC286T20U6B</b>	20hp	60	208~230	57.06-51.6	1.15	6	1	1175	3	F	-	50
	20hp	60	460	25.8	1.15	6	1	1175	3	F	-	50
	20hp	60	380-400	31.2	1.15	6	1	1175	3	F	-	50
	20hp	50	380-415	34.2	1.15	6	1	980	3	F	-	50
	20hp	60	575	20.64	1.15	6	1	1175	3	F	-	50
<b>TXC286T30U4B</b>	30hp	60	208-230	78.58-71	1.15	4	1	1770	3	F	-	50
	30hp	60	460	35.5	1.15	4	1	1770	3	F	-	50
	30hp	60	380-400	42.9	1.15	4	1	1770	3	F	-	50
	30hp	50	380-415	47.0	1.15	4	1	1475	3	F	-	50
	30hp	60	575	28.43	1.15	4	1	1770	3	F	-	50
<b>TXC286TS30U2B</b>	30hp	60	208-230	76.3-69	1.15	2	1	3550	3	F	-	50

	30hp	60	460	34.5	1.15	2	1	3550	3	F	-	50
	30hp	60	380-400	41.7	1.15	2	1	3550	3	F	-	50
	30hp	50	380-415	45.7	1.15	2	1	2955	3	F	-	50
	30hp	60	575	27.6	1.15	2	1	3550	3	F	-	50
<b>TXC324T25U6B</b>	25hp	60	208~230	70.55-63.8	1.15	6	1	1180	3	F	-	50
	25hp	60	460	31.9	1.15	6	1	1180	3	F	-	50
	25hp	60	380-400	38.6	1.15	6	1	1180	3	F	-	50
	25hp	50	380-415	42.3	1.15	6	1	985	3	F	-	50
	25hp	60	575	25.52	1.15	6	1	1180	3	F	-	50
<b>TXC324T40U4B</b>	40hp	60	208~230	104.2-94.2	1.15	4	1	1770	3	F	-	50
	40hp	60	460	47.1	1.15	4	1	1770	3	F	-	50
	40hp	60	380-400	56.9	1.15	4	1	1770	3	F	-	50
	40hp	50	380-415	62.3	1.15	4	1	1475	3	F	-	50
	40hp	60	575	37.69	1.15	4	1	1770	3	F	-	50
<b>TXC324TS40U2B</b>	40hp	60	208-230	102.8-93	1.15	2	1	3560	3	F	-	50
	40hp	60	460	46.5	1.15	2	1	3560	3	F	-	50
	40hp	60	380-400	56.3	1.15	2	1	3560	3	F	-	50
	40hp	50	380-415	61.7	1.15	2	1	2965	3	F	-	50
	40hp	60	575	37.19	1.15	2	1	3560	3	F	-	50
<b>TXC326T30U6B</b>	30hp	60	208-230	84.04-76	1.15	6	1	1180	3	F	-	50
	30hp	60	460	38	1.15	6	1	1180	3	F	-	50
	30hp	60	380-400	45.9	1.15	6	1	1180	3	F	-	50
	30hp	50	380-415	50.3	1.15	6	1	985	3	F	-	50
	30hp	60	575	30.4	1.15	6	1	1180	3	F	-	50
<b>TXC326T50U4B</b>	50hp	60	208-230	130.9-118.4	1.15	4	1	1770	3	F	-	50
	50hp	60	460	59.2	1.15	4	1	1770	3	F	-	50
	50hp	60	380-400	71.6	1.15	4	1	1770	3	F	-	50
	50hp	50	380-415	78.4	1.15	4	1	1475	3	F	-	50
	50hp	60	575	47.35	1.15	4	1	1770	3	F	-	50
<b>TXC326TS50U2B</b>	50hp	60	208-230	129.4-117	1.15	2	1	3560	3	F	-	50
	50hp	60	460	58.5	1.15	2	1	3560	3	F	-	50
	50hp	60	380-400	70.8	1.15	2	1	3560	3	F	-	50
	50hp	50	380-415	77.6	1.15	2	1	2965	3	F	-	50
	50hp	60	575	46.81	1.15	2	1	3560	3	F	-	50
<b>TXC364T40U6B</b>	40hp	60	208-230	104.8-94.8	1.15	6	1	1180	3	F	-	50
	40hp	60	460	47.4	1.15	6	1	1180	3	F	-	50
	40hp	60	380-400	57.4	1.15	6	1	1180	3	F	-	50
	40hp	50	380-415	62.9	1.15	6	1	985	3	F	-	50
	40hp	60	575	37.92	1.15	6	1	1180	3	F	-	50
<b>TXC364T60U4B</b>	60hp	60	208-230	153.5-138.8	1.15	4	1	1775	3	F	-	50
	60hp	60	460	69.4	1.15	4	1	1775	3	F	-	50
	60hp	60	380-400	83.9	1.15	4	1	1775	3	F	-	50
	60hp	50	380-415	91.9	1.15	4	1	1480	3	F	-	50

	60hp	60	575	55.52	1.15	4	1	1775	3	F	-	50
<b>TXC364TS60U2B</b>	60hp	60	208-230	149.3-135	1.15	2	1	3560	3	F	-	50
	60hp	60	460	67.5	1.15	2	1	3560	3	F	-	50
	60hp	60	380-400	81.7	1.15	2	1	3560	3	F	-	50
	60hp	50	380-415	89.5	1.15	2	1	2965	3	F	-	50
	60hp	60	575	54	1.15	2	1	3560	3	F	-	50
<b>TXC365T50U6B</b>	50hp	60	208-230	130.9-118.4	1.15	6	1	1180	3	F	-	50
	50hp	60	460	59.2	1.15	6	1	1180	3	F	-	50
	50hp	60	380-400	71.6	1.15	6	1	1180	3	F	-	50
	50hp	50	380-415	78.4	1.15	6	1	985	3	F	-	50
	50hp	60	575	47.36	1.15	6	1	1180	3	F	-	50
<b>TXC365T75U4B</b>	75hp	60	208-230	190.6-172.4	1.15	4	1	1775	3	F	-	50
	75hp	60	460	86.2	1.15	4	1	1775	3	F	-	50
	75hp	60	380-400	104.3	1.15	4	1	1775	3	F	-	50
	75hp	50	380-415	114.3	1.15	4	1	1480	3	F	-	50
	75hp	60	575	68.96	1.15	4	1	1775	3	F	-	50
<b>TXC365TS75U2B</b>	75hp	60	208-230	186.4-168.6	1.15	2	1	3560	3	F	-	50
	75hp	60	460	84.3	1.15	2	1	3560	3	F	-	50
	75hp	60	380-400	102	1.15	2	1	3560	3	F	-	50
	75hp	50	380-415	111.7	1.15	2	1	2965	3	F	-	50
	75hp	60	575	67.44	1.15	2	1	3560	3	F	-	50
<b>TXC404T60U6B</b>	60hp	60	208-230	154.8-140	1.15	6	1	1185	3	F	-	50
	60hp	60	460	70	1.15	6	1	1185	3	F	-	50
	60hp	60	380-400	84.7	1.15	6	1	1185	3	F	-	50
	60hp	50	380-415	92.8	1.15	6	1	985	3	F	-	50
	60hp	60	575	56	1.15	6	1	1185	3	F	-	50
<b>TXC405T100U4B</b>	100hp	60	208-230	252.1-228	1.15	4	1	1780	3	F	-	50
	100hp	60	460	114	1.15	4	1	1780	3	F	-	50
	100hp	60	380-400	137.9	1.15	4	1	1780	3	F	-	50
	100hp	50	380-415	151.1	1.15	4	1	1480	3	F	-	50
	100hp	60	575	91.2	1.15	4	1	1780	3	F	-	50
<b>TXC405T75U6B</b>	75hp	60	208-230	193.9-175.4	1.15	6	1	1185	3	F	-	50
	75hp	60	460	87.7	1.15	6	1	1185	3	F	-	50
	75hp	60	380-400	106.1	1.15	6	1	1185	3	F	-	50
	75hp	50	380-415	116.2	1.15	6	1	985	3	F	-	50
	75hp	60	575	70.14	1.15	6	1	1185	3	F	-	50
<b>TXC405TS100U2B</b>	100hp	60	208-230	221.2-200	1.15	2	1	3570	3	F	-	50
	100hp	60	460	100	1.15	2	1	3570	3	F	-	50
	100hp	60	380-400	121	1.15	2	1	3570	3	F	-	50
	100hp	50	380-415	132.6	1.15	2	1	2975	3	F	-	50
	100hp	60	575	80.02	1.15	2	1	3570	3	F	-	50
<b>TXC444T100U6B</b>	100hp	60	208-230	256.5-232	1.15	6	1	1185	3	F	-	50

	100hp	60	460	116	1.15	6	1	1185	3	F	-	50
	100hp	60	380-400	140.4	1.15	6	1	1185	3	F	-	50
	100hp	50	380-415	153.8	1.15	6	1	985	3	F	-	50
	100hp	60	575	92.79	1.15	6	1	1185	3	F	-	50
<b>TXC444T125U4B</b>	125hp	60	380-400	169.4	1.15	4	1	1780	3	F	-	50
	125hp	50	380-415	185.6	1.15	4	1	1480	3	F	-	50
	125hp	60	460	140	1.15	4	1	1780	3	F	-	50
	125hp	60	575	112	1.15	4	1	1780	3	F	-	50
<b>TXC444TS125U2B</b>	125hp	60	380-400	165.8	1.15	2	1	3575	3	F	-	50
	125hp	50	380-415	181.6	1.15	2	1	2980	3	F	-	50
	125hp	60	460	137	1.15	2	1	3575	3	F	-	50
	125hp	60	575	109.6	1.15	2	1	3575	3	F	-	50
<b>TXC445T125U6B</b>	125hp	60	380-400	175.5	1.15	6	1	1180	3	F	-	50
	125hp	50	380-415	192.3	1.15	6	1	980	3	F	-	50
	125hp	60	460	145	1.15	6	1	1180	3	F	-	50
	125hp	60	575	116	1.15	6	1	1180	3	F	-	50
<b>TXC445T150U4B</b>	150hp	60	380-400	204.5	1.15	4	1	1780	3	F	-	50
	150hp	50	380-415	224.0	1.15	4	1	1480	3	F	-	50
	150hp	60	460	169	1.15	4	1	1780	3	F	-	50
	150hp	60	575	135.2	1.15	4	1	1780	3	F	-	50
<b>TXC445TS150U2B</b>	150hp	60	380-400	198.5	1.15	2	1	3575	3	F	-	50
	150hp	50	380-415	217.5	1.15	2	1	2980	3	F	-	50
	150hp	60	460	164	1.15	2	1	3575	3	F	-	50
	150hp	60	575	131.2	1.15	2	1	3575	3	F	-	50
<b>TXC447T150U6B</b>	150hp	60	380-400	205.7	1.15	6	1	1180	3	F	-	50
	150hp	50	380-415	225.4	1.15	6	1	980	3	F	-	50
	150hp	60	460	170	1.15	6	1	1180	3	F	-	50
	150hp	60	575	136	1.15	6	1	1180	3	F	-	50
<b>TXC447T200U4B</b>	200hp	60	380-400	269.8	1.15	4	1	1780	3	F	-	50
	200hp	50	380-415	295.6	1.15	4	1	1480	3	F	-	50
	200hp	60	460	223	1.15	4	1	1780	3	F	-	50
	200hp	60	575	178.4	1.15	4	1	1780	3	F	-	50
<b>TXC447TS200U2B</b>	200hp	60	380-400	260.2	1.15	2	1	3575	3	F	-	50
	200hp	50	380-415	285.1	1.15	2	1	2980	3	F	-	50
	200hp	60	460	215	1.15	2	1	3575	3	F	-	50
	200hp	60	575	172	1.15	2	1	3575	3	F	-	50
<b>TXC449T200U6B</b>	200hp	60	380-400	273.5	1.15	6	1	1180	3	F	-	50
	200hp	50	380-415	299.6	1.15	6	1	980	3	F	-	50
	200hp	60	460	226	1.15	6	1	1180	3	F	-	50
	200hp	60	575	180.8	1.15	6	1	1180	3	F	-	50
<b>TXC449T250U4B</b>	250hp	60	380-400	330.8	1.15	4	1	1780	3	F	-	50
	250hp	50	380-415	362.4	1.15	4	1	1480	3	F	-	50
	250hp	60	460	273.4	1.15	4	1	1780	3	F	-	50
	250hp	60	575	218.7	1.15	4	1	1780	3	F	-	50
<b>TXC449T300U4B</b>	300hp	60	380-400	381.9	1.15	4	1	1780	3	F	-	50
	300hp	50	380-415	418.4	1.15	4	1	1480	3	F	-	50
	300hp	60	460	315.6	1.15	4	1	1780	3	F	-	50

	300hp	60	575	252.48	1.15	4	1	1780	3	F	-	50
<b>TXC449TS250U2B</b>	250hp	60	380-400	324.9	1.15	2	1	3575	3	F	-	50
	250hp	50	380-415	355.9	1.15	2	1	2980	3	F	-	50
	250hp	60	460	268.5	1.15	2	1	3575	3	F	-	50
	250hp	60	575	214.8	1.15	2	1	3575	3	F	-	50
<b>TXC449TS300U2B</b>	300hp	60	380-400	383.5	1.15	2	1	3575	3	F	-	50
	300hp	50	380-415	420.1	1.15	2	1	2980	3	F	-	50
	300hp	60	460	316.9	1.15	2	1	3575	3	F	-	50
	300hp	60	575	253.5	1.15	2	1	3575	3	F	-	50
<b>TXC586/7T250U6B</b>	250hp	60	380-400	319.6	1.15	6	1	1180	3	F	-	50
	250hp	50	380-415	350.1	1.15	6	1	980	3	F	-	50
	250hp	60	460	264.1	1.15	6	1	1180	3	F	-	50
	250hp	60	575	211.28	1.15	6	1	1180	3	F	-	50
<b>TXC586/7T300U6B</b>	300hp	60	380-400	383.5	1.15	6	1	1180	3	F	-	50
	300hp	50	380-415	420.1	1.15	6	1	980	3	F	-	50
	300hp	60	460	316.9	1.15	6	1	1180	3	F	-	50
	300hp	60	575	253.52	1.15	6	1	1180	3	F	-	50
<b>TXC586/7T350U4B</b>	350hp	60	380-400	445.6	1.15	4	1	1780	3	F	-	50
	350hp	50	380-415	488.2	1.15	4	1	1480	3	F	-	50
	350hp	60	460	368.3	1.15	4	1	1780	3	F	-	50
	350hp	60	575	294.64	1.15	4	1	1780	3	F	-	50
<b>TXC586/7T350U6B</b>	350hp	60	380-400	447.5	1.15	6	1	1180	3	F	-	50
	350hp	50	380-415	490.2	1.15	6	1	980	3	F	-	50
	350hp	60	460	369.8	1.15	6	1	1180	3	F	-	50
	350hp	60	575	295.84	1.15	6	1	1180	3	F	-	50
<b>TXC586/7T400U4B</b>	400hp	60	380-400	509.3	1.15	4	1	1780	3	F	-	50
	400hp	50	380-415	558.0	1.15	4	1	1480	3	F	-	50
	400hp	60	460	420.8	1.15	4	1	1780	3	F	-	50
	400hp	60	575	336.64	1.15	4	1	1780	3	F	-	50
<b>TXC586/7T400U6B</b>	400hp	60	380-400	511.4	1.15	6	1	1180	3	F	-	50
	400hp	50	380-415	560.3	1.15	6	1	980	3	F	-	50
	400hp	60	460	422.6	1.15	6	1	1180	3	F	-	50
	400hp	60	575	338.08	1.15	6	1	1180	3	F	-	50
<b>TXC586/7T450U4B</b>	450hp	60	380-400	572.9	1.15	4	1	1780	3	F	-	50
	450hp	50	380-415	627.6	1.15	4	1	1480	3	F	-	50
	450hp	60	460	473.5	1.15	4	1	1780	3	F	-	50
	450hp	60	575	378.8	1.15	4	1	1780	3	F	-	50
<b>TXC586/7TS350U2B</b>	350hp	60	380-400	447.5	1.15	2	1	3575	3	F	-	50
	350hp	50	380-415	490.2	1.15	2	1	2980	3	F	-	50
	350hp	60	460	369.8	1.15	2	1	3575	3	F	-	50
	350hp	60	575	295.8	1.15	2	1	3575	3	F	-	50
<b>TXC586/7TS400U2B</b>	400hp	60	380-400	511.4	1.15	2	1	3575	3	F	-	50
	400hp	50	380-415	560.3	1.15	2	1	2980	3	F	-	50
	400hp	60	460	422.6	1.15	2	1	3575	3	F	-	50
	400hp	60	575	338.1	1.15	2	1	3575	3	F	-	50
<b>TXC586/7TS450U2B</b>	450hp	60	380-400	575.3	1.15	2	1	3575	3	F	-	50
	450hp	50	380-415	630.3	1.15	2	1	2980	3	F	-	50

	450hp	60	460	475.4	1.15	2	1	3575	3	F	-	50
	450hp	60	575	380.3	1.15	2	1	3575	3	F	-	50
<b>TXD143T 1.5U2B</b>	1.5hp	60	208-230	4.28-4.08	1.15	2	1	3500	3	F	-	50
	1.5hp	60	460	2.04	1.15	2	1	3500	3	F	-	50
	1.5hp	60	575	1.63	1.15	2	1	3500	3	F	-	50
<b>TXD143T 1U2B</b>	1hp	60	208-230	3.05-2.96	1.15	2	1	3450	3	F	-	50
	1hp	60	460	1.48	1.15	2	1	3450	3	F	-	50
	1hp	60	575	1.19	1.15	2	1	3450	3	F	-	50
<b>TXD143T 1U4B</b>	1hp	60	208-230	3.15-3.12	1.15	4	1	1740	3	F	-	50
	1hp	60	460	1.56	1.15	4	1	1740	3	F	-	50
	1hp	60	575	1.25	1.15	4	1	1740	3	F	-	50
<b>TXD145T 1.5U4B</b>	1.5hp	60	208-230	4.43-4.34	1.15	4	1	1740	3	F	-	50
	1.5hp	60	460	2.17	1.15	4	1	1740	3	F	-	50
	1.5hp	60	575	1.73	1.15	4	1	1740	3	F	-	50
<b>TXD145T 1U6B</b>	1hp	60	208-230	3.49-3.44	1.15	6	1	1150	3	F	-	50
	1hp	60	460	1.72	1.15	6	1	1150	3	F	-	50
	1hp	60	575	1.37	1.15	6	1	1150	3	F	-	50
<b>TXD145T 2U2B</b>	2hp	60	208-230	5.58-5.28	1.15	2	1	3500	3	F	-	50
	2hp	60	460	2.64	1.15	2	1	3500	3	F	-	50
	2hp	60	575	2.11	1.15	2	1	3500	3	F	-	50
<b>TXD145T 2U4B</b>	2hp	60	208-230	5.85-5.48	1.15	4	1	1740	3	F	-	50
	2hp	60	460	2.74	1.15	4	1	1740	3	F	-	50
	2hp	60	575	2.19	1.15	4	1	1740	3	F	-	50
<b>TXD145T 3U2B</b>	3hp	60	208-230	8.19-7.56	1.15	2	1	3500	3	F	-	50
	3hp	60	460	3.78	1.15	2	1	3500	3	F	-	50
	3hp	60	575	3.02	1.15	2	1	3500	3	F	-	50
<b>TXD182T 1.5U6B</b>	1.5hp	60	208-230	4.73-4.56	1.15	6	1	1165	3	F	-	50
	1.5hp	60	460	2.28	1.15	6	1	1165	3	F	-	50
	1.5hp	60	575	1.82	1.15	6	1	1165	3	F	-	50
<b>TXD182T 3U4B</b>	3hp	60	208-230	8.35-7.66	1.15	4	1	1755	3	F	-	50
	3hp	60	460	3.83	1.15	4	1	1755	3	F	-	50
	3hp	60	575	3.06	1.15	4	1	1755	3	F	-	50
<b>TXD182T 5U2B</b>	5hp	60	208-230	13.1-11.9	1.15	2	1	3510	3	F	-	50
	5hp	60	460	5.95	1.15	2	1	3510	3	F	-	50
	5hp	60	575	4.76	1.15	2	1	3510	3	F	-	50
<b>TXD184T 2U6B</b>	2hp	60	208-230	6.25-5.94	1.15	6	1	1165	3	F	-	50
	2hp	60	460	2.97	1.15	6	1	1165	3	F	-	50
	2hp	60	575	2.37	1.15	6	1	1165	3	F	-	50
<b>TXD184T 5U4B</b>	5hp	60	208-230	13.8-12.5	1.15	4	1	1755	3	F	-	50
	5hp	60	460	6.25	1.15	4	1	1755	3	F	-	50



	5hp	60	575	5	1.15	4	1	1755	3	F	-	50
<b>TXD184T 7.5U2B</b>	7.5hp	60	208-230	19.3-17.4	1.15	2	1	3510	3	F	-	50
	7.5hp	60	460	8.7	1.15	2	1	3510	3	F	-	50
	7.5hp	60	575	6.96	1.15	2	1	3510	3	F	-	50
<b>TXD213T 10U2B</b>	10hp	60	208-230	25.5-23.0	1.15	2	1	3520	3	F	-	50
	10hp	60	460	11.5	1.15	2	1	3520	3	F	-	50
	10hp	60	575	9.2	1.15	2	1	3520	3	F	-	50
<b>TXD213T 3U6B</b>	3hp	60	208-230	9.21-8.58	1.15	6	1	1170	3	F	-	50
	3hp	60	460	4.29	1.15	6	1	1170	3	F	-	50
	3hp	60	575	3.43	1.15	6	1	1170	3	F	-	50
<b>TXD213T 7.5U4B</b>	7.5hp	60	208-230	20.1-18.2	1.15	4	1	1755	3	F	-	50
	7.5hp	60	460	9.1	1.15	4	1	1755	3	F	-	50
	7.5hp	60	575	7.28	1.15	4	1	1755	3	F	-	50
<b>TXD215T 10U4B</b>	10hp	60	208-230	26.6-24.0	1.15	4	1	1755	3	F	-	50
	10hp	60	460	12	1.15	4	1	1755	3	F	-	50
	10hp	60	575	9.6	1.15	4	1	1755	3	F	-	50
<b>TXD215T 15U2B</b>	15hp	60	208-230	37.8-34.2	1.15	2	1	3520	3	F	-	50
	15hp	60	460	17.1	1.15	2	1	3520	3	F	-	50
	15hp	60	575	13.6	1.15	2	1	3520	3	F	-	50
<b>TXD215T 5U6B</b>	5hp	60	208-230	15.5-14.0	1.15	6	1	1170	3	F	-	50
	5hp	60	460	7	1.15	6	1	1170	3	F	-	50
	5hp	60	575	5.6	1.15	6	1	1170	3	F	-	50
<b>TXD48 1/2U2B</b>	1/2hp	60	208-230	2.02-1.96	1.15	2	1	3450	3	F	-	50
	1/2hp	60	460	0.88	1.15	2	1	3450	3	F	-	50
	1/2hp	60	575	0.71	1.15	2	1	3450	3	F	-	50
<b>TXD48 1/2U4B</b>	1/2hp	60	208-230	1.87-1.82	1.15	4	1	1740	3	F	-	50
	1/2hp	60	460	0.91	1.15	4	1	1740	3	F	-	50
	1/2hp	60	575	0.73	1.15	4	1	1740	3	F	-	50
<b>TXD48 1/3U2B</b>	1/3hp	60	208-230	1.32-1.28	1.15	2	1	3450	3	F	-	50
	1/3hp	60	460	0.64	1.15	2	1	3450	3	F	-	50
	1/3hp	60	575	0.52	1.15	2	1	3450	3	F	-	50
<b>TXD48 1/3U4B</b>	1/3hp	60	208-230	1.36-1.32	1.15	4	1	1740	3	F	-	50
	1/3hp	60	460	0.66	1.15	4	1	1740	3	F	-	50
	1/3hp	60	575	0.53	1.15	4	1	1740	3	F	-	50
<b>TXD48 1/4U2B</b>	1/4hp	60	208-230	1.04-1.02	1.15	2	1	3450	3	F	-	50
	1/4hp	60	460	0.51	1.15	2	1	3450	3	F	-	50
	1/4hp	60	575	0.41	1.15	2	1	3450	3	F	-	50
<b>TXD48 1/4U4B</b>	1/4hp	60	208-230	1.11-1.08	1.15	4	1	1740	3	F	-	50
	1/4hp	60	460	0.54	1.15	4	1	1740	3	F	-	50
	1/4hp	60	575	0.44	1.15	4	1	1740	3	F	-	50

<b>TXD48 3/4U2B</b>	3/4hp	60	208-230	2.53-2.44	1.15	2	1	3450	3	F	-	50
	3/4hp	60	460	1.22	1.15	2	1	3450	3	F	-	50
	3/4hp	60	575	0.98	1.15	2	1	3450	3	F	-	50
<b>TXD48 3/4U4B</b>	3/4hp	60	208-230	2.63-2.56	1.15	4	1	1740	3	F	-	50
	3/4hp	60	460	1.28	1.15	4	1	1740	3	F	-	50
	3/4hp	60	575	1.03	1.15	4	1	1740	3	F	-	50
<b>TXD56 1/2U2B</b>	1/2hp	60	208-230	2.02-1.96	1.15	2	1	3450	3	F	-	50
	1/2hp	60	460	0.88	1.15	2	1	3450	3	F	-	50
	1/2hp	60	575	0.71	1.15	2	1	3450	3	F	-	50
<b>TXD56 1/2U4B</b>	1/2hp	60	208-230	1.87-1.82	1.15	4	1	1740	3	F	-	50
	1/2hp	60	460	0.91	1.15	4	1	1740	3	F	-	50
	1/2hp	60	575	0.73	1.15	4	1	1740	3	F	-	50
<b>TXD56 1/2U6B</b>	1/2hp	60	208-230	2.03-1.98	1.15	6	1	1150	3	F	-	50
	1/2hp	60	460	0.99	1.15	6	1	1150	3	F	-	50
	1/2hp	60	575	0.8	1.15	6	1	1150	3	F	-	50
<b>TXD56 1/3U2B</b>	1/3hp	60	208-230	1.32-1.28	1.15	2	1	3450	3	F	-	50
	1/3hp	60	460	0.64	1.15	2	1	3450	3	F	-	50
	1/3hp	60	575	0.52	1.15	2	1	3450	3	F	-	50
<b>TXD56 1/3U4B</b>	1/3hp	60	208-230	1.36-1.32	1.15	4	1	1740	3	F	-	50
	1/3hp	60	460	0.66	1.15	4	1	1740	3	F	-	50
	1/3hp	60	575	0.53	1.15	4	1	1740	3	F	-	50
<b>TXD56 1/3U6B</b>	1/3hp	60	208-230	1.50-1.46	1.15	6	1	1150	3	F	-	50
	1/3hp	60	460	0.73	1.15	6	1	1150	3	F	-	50
	1/3hp	60	575	0.59	1.15	6	1	1150	3	F	-	50
<b>TXD56 1/4U2B</b>	1/4hp	60	208-230	1.04-1.02	1.15	2	1	3450	3	F	-	50
	1/4hp	60	460	0.51	1.15	2	1	3450	3	F	-	50
	1/4hp	60	575	0.41	1.15	2	1	3450	3	F	-	50
<b>TXD56 1/4U4B</b>	1/4hp	60	208-230	1.11-1.08	1.15	4	1	1740	3	F	-	50
	1/4hp	60	460	0.54	1.15	4	1	1740	3	F	-	50
	1/4hp	60	575	0.44	1.15	4	1	1740	3	F	-	50
<b>TXD56 1/4U6B</b>	1/4hp	60	208-230	1.21-1.18	1.15	6	1	1150	3	F	-	50
	1/4hp	60	460	0.59	1.15	6	1	1150	3	F	-	50
	1/4hp	60	575	0.48	1.15	6	1	1150	3	F	-	50
<b>TXD56 3/4U2B</b>	3/4hp	60	208-230	2.53-2.44	1.15	2	1	3450	3	F	-	50
	3/4hp	60	460	1.22	1.15	2	1	3450	3	F	-	50
	3/4hp	60	575	0.98	1.15	2	1	3450	3	F	-	50
<b>TXD56 3/4U4B</b>	3/4hp	60	208-230	2.63-2.56	1.15	4	1	1740	3	F	-	50
	3/4hp	60	460	1.28	1.15	4	1	1740	3	F	-	50
	3/4hp	60	575	1.03	1.15	4	1	1740	3	F	-	50
<b>TXD56 3/4U6B</b>	3/4hp	60	208-230	2.73-2.66	1.15	6	1	1150	3	F	-	50

	3/4hp	60	460	1.33	1.15	6	1	1150	3	F	-	50
	3/4hp	60	575	1.07	1.15	6	1	1150	3	F	-	50
<b>TXD56H 1.5U2B</b>	1.5hp	60	208-230	4.28-4.08	1.15	2	1	3500	3	F	-	50
	1.5hp	60	460	2.04	1.15	2	1	3500	3	F	-	50
	1.5hp	60	575	1.63	1.15	2	1	3500	3	F	-	50
<b>TXD56H 1.5U4B</b>	1.5hp	60	208-230	4.43-4.34	1.15	4	1	1740	3	F	-	50
	1.5hp	60	460	2.17	1.15	4	1	1740	3	F	-	50
	1.5hp	60	575	1.73	1.15	4	1	1740	3	F	-	50
<b>TXD56H 1U2B</b>	1hp	60	208-230	3.05-2.96	1.15	2	1	3450	3	F	-	50
	1hp	60	460	1.48	1.15	2	1	3450	3	F	-	50
	1hp	60	575	1.19	1.15	2	1	3450	3	F	-	50
<b>TXD56H 1U4B</b>	1hp	60	208-230	3.15-3.12	1.15	4	1	1740	3	F	-	50
	1hp	60	460	1.56	1.15	4	1	1740	3	F	-	50
	1hp	60	575	1.25	1.15	4	1	1740	3	F	-	50
<b>TXD56H 1U6B</b>	1hp	60	208-230	3.49-3.44	1.15	6	1	1150	3	F	-	50
	1hp	60	460	1.72	1.15	6	1	1150	3	F	-	50
	1hp	60	575	1.37	1.15	6	1	1150	3	F	-	50
<b>TXD56H 2U2B</b>	2hp	60	208-230	5.58-5.28	1.15	2	1	3500	3	F	-	50
	2hp	60	460	2.64	1.15	2	1	3500	3	F	-	50
	2hp	60	575	2.11	1.15	2	1	3500	3	F	-	50
<b>TXD56H 2U4B</b>	2hp	60	208-230	5.85-5.48	1.15	4	1	1740	3	F	-	50
	2hp	60	460	2.74	1.15	4	1	1740	3	F	-	50
	2hp	60	575	2.19	1.15	4	1	1740	3	F	-	50
<b>TXD56H 3U2B</b>	3hp	60	208-230	8.19-7.56	1.15	2	1	3500	3	F	-	50
	3hp	60	460	3.78	1.15	2	1	3500	3	F	-	50
	3hp	60	575	3.02	1.15	2	1	3500	3	F	-	50

Last Updated on 2016-09-02

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

◆ 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".